



Attachment 4.1H - Environmental Monitoring Worksheet

Period: 7/1/17 - 15/07/2017

Location	Test	Freq	Limit		Units	Sample Date	NSW Environment Protection Licence Requirement	Date Sample Transferred to Laboratory	Date Sample Results Received by Holcim	Date of Remote Data Download	Result	Comments
			min	max								

NRR = No Result Recorded

Site: Albion Park Quarry

Environment Protection Licence No.	122
Site Name (As it appears on the licence)	Albion Park Quarry
Site Address (As it appears on the licence)	Albion Park Quarry Woollybutt Drive ALBION PARK RAIL NSW 2527
Link to Licence on EPA Website	http://www.environment.nsw.gov.au/eprocapp/ViewPOEOLLicence.aspx?DOCID=31016&SYSUID=1&LICID=122

Water												
Point 1	pH	After 50mm rain	6.5	8.5	pH		Y					NRR
	Oil and Grease	After 50mm rain	0	0	Visible		Y					NRR
	TSS	After 50mm rain	0	50	mg/L		Y					NRR
Point 2	pH	After 50mm rain	6.5	8.5	pH		Y					NRR
	Oil and Grease	After 50mm rain	0	0	Visible		Y					NRR
	TSS	After 50mm rain	0	50	mg/L		Y					NRR
Point 1	pH	After 50mm rain	6.5	8.5	pH		Y					NRR
	Oil and Grease	After 50mm rain	0	0	Visible		Y					NRR
	TSS	After 50mm rain	0	50	mg/L		Y					NRR
Point 2	pH	After 50mm rain	6.5	8.5	pH		Y					NRR
	Oil and Grease	After 50mm rain	0	0	Visible		Y					NRR
	TSS	After 50mm rain	0	50	mg/L		Y					NRR
Point 1	pH	After 50mm rain	6.5	8.5	pH		Y					NRR
	Oil and Grease	After 50mm rain	0	0	Visible		Y					NRR
	TSS	After 50mm rain	0	50	mg/L		Y					NRR
Point 2	pH	After 50mm rain	6.5	8.5	pH		Y					NRR
	Oil and Grease	After 50mm rain	0	0	Visible		Y					NRR
	TSS	After 50mm rain	0	50	mg/L		Y					NRR

Air												
Site 1	Ash	Monthly	90			7/4/17	Y					0.8
Site 2	Ash	Monthly	90			7/4/17	Y					0.7
Site 3	Ash	Monthly	90			7/4/17	Y					0.7
Site 4	Ash	Monthly	90			7/4/17	Y					0.5

Blasting												
	Per Blast		5		mm/s		Y					NRR
	Per Blast		115		dB		Y					NRR
	Per Blast		5		mm/s		Y					NRR
	Per Blast		115		dB		Y					NRR
	Per Blast		5		mm/s		Y					NRR
	Per Blast		115		dB		Y					NRR
	Per Blast		5		mm/s		Y					NRR
	Per Blast		115		dB		Y					NRR
	Per Blast		5		mm/s		Y					NRR
	Per Blast		115		dB		Y					NRR
	Per Blast		5		mm/s		Y					NRR
	Per Blast		115		dB		Y					NRR

Site: "Johnniefields" Marulan Quarry

Environment Protection Licence No.	1371
Site Name (As it appears on the licence)	Marulan Quarry
Site Address (As it appears on the licence)	Marulan Quarry Brayton Road MARULAN NSW 2579
Link to Licence on EPA Website	http://www.environment.nsw.gov.au/eprocapp/ViewPOEOLLicence.aspx?DOCID=28968&SYSUID=1&LICID=1371

Blasting												
Underdowns	Overpressure	Per Blast	115		dB		Y					NRR
Underdowns	Vibration	Per Blast	5		mm/s		Y					NRR
Underdowns	Overpressure	Per Blast	115		dB		Y					NRR
Underdowns	Vibration	Per Blast	5		mm/s		Y					NRR
Underdowns	Overpressure	Per Blast	115		dB		Y					NRR
Underdowns	Vibration	Per Blast	5		mm/s		Y					NRR
Underdowns	Overpressure	Per Blast	115		dB		Y					NRR
Underdowns	Vibration	Per Blast	5		mm/s		Y					NRR
Underdowns	Overpressure	Per Blast	115		dB		Y					NRR

Site: Lynwood Quarry

Environment Protection Licence No.	12939
Site Name (As it appears on the licence)	Lynwood Quarry
Site Address (As it appears on the licence)	Lynwood Quarry 278 Stoney Creek Road, MARULAN NSW 2579
Link to Licence on EPA Website	http://www.environment.nsw.gov.au/eprocapp/ViewPOEOLLicence.aspx?DOCID=29698&SYSUID=1&LICID=12939

Air												
DD 5	Insoluble Solids	Monthly	0	4	mg/m ³ /month	19/6/17	Y	0/1/00	0/1/00			10/1/00
DD 8	Insoluble Solids	Monthly	0	4	mg/m ³ /month	19/6/17	Y	0/1/00	0/1/00			0/1/00
DD 11	Insoluble Solids	Monthly	0	4	mg/m ³ /month	19/6/17	Y	0/1/00	0/1/00			0/1/00
DD 12	Insoluble Solids	Monthly	0	4	mg/m ³ /month	19/6/17	Y	0/1/00	0/1/00			0/1/00
DD 13	Insoluble Solids	Monthly	0	4	mg/m ³ /month	19/6/17	Y	0/1/00	0/1/00			0/1/00
HVAS 1	PM10	24hr (every 6 days)	0	50	µg/m ³	6/5/17	Y	6/6/17	14/6/17			7.10
HVAS 1	PM10	24hr (every 6 days)	0	50	µg/m ³	6/11/17	Y	13/6/17	14/6/17			6.80
HVAS 1	PM10	24hr (every 6 days)	0	50	µg/m ³	0/1/00	Y	0/1/00	0/1/00			NRR
HVAS 2	PM10	24hr (every 6 days)	0	50	µg/m ³	6/5/17	Y	6/6/17	14/6/17			11.6
HVAS 2	PM10	24hr (every 6 days)	0	50	µg/m ³	6/11/17	Y	13/6/17	14/6/17			NRR
HVAS 2	PM10	24hr (every 6 days)	0	50	µg/m ³	0/1/00	Y	0/1/00	0/1/00			NRR

Blasting												
B1 - Rail	Peak Particle Velocity	Per Blast	0	25	mm/sec	6/6/17	Y	1:48:00 PM				0.00
B2 - Pipeline	Peak Particle Velocity	Per Blast	0	100	mm/sec	6/6/17	Y	1:49:00 PM				1.78
B3 - Resident	Peak Particle Velocity	Per Blast	0	5	mm/sec	6/6/17	Y	1:49:00 PM				0.00
B3 - Resident	Overpressure	Per Blast	0	115	dB	6/6/17	Y	1:49:00 PM				0.00
B1 - Rail	Peak Particle Velocity	Per Blast	0	25	mm/sec	13/06/2017	Y	1:43:00 PM				4.22
B2 - Pipeline	Peak Particle Velocity	Per Blast	0	100	mm/sec	13/06/2017	Y	1:43:00 PM				0.00
B3 - Resident	Peak Particle Velocity	Per Blast	0	5	mm/sec	13/06/2017	Y	1:43:00 PM				0.00
B3 - Resident	Overpressure	Per Blast	0	115	dB	13/06/2017	Y	1:43:00 PM				0.00
B1 - Rail	Peak Particle Velocity	Per Blast	0	25	mm/sec	0/1/00	Y	12:00:00 AM				NRR
B2 - Pipeline	Peak Particle Velocity	Per Blast	0	100	mm/sec	0/1/00	Y	12:00:00 AM				NRR
B3 - Resident	Peak Particle Velocity	Per Blast	0	5	mm/sec	0/1/00	Y	12:00:00 AM				NRR
B3 - Resident	Overpressure	Per Blast	0	115	dB	0/1/00	Y	12:00:00 AM				NRR
B1 - Rail	Peak Particle Velocity	Per Blast	0	25	mm/sec	0/1/00	Y	12:00:00 AM				NRR
B2 - Pipeline	Peak Particle Velocity	Per Blast	0	100	mm/sec	0/1/00	Y	12:00:00 AM				NRR
B3 - Resident	Peak Particle Velocity	Per Blast	0	5	mm/sec	0/1/00	Y	12:00:00 AM				NRR
B3 - Resident	Overpressure	Per Blast	0	115	dB	0/1/00	Y	12:00:00 AM				NRR
B1 - Resident	Peak Particle Velocity	Per Blast	0	25	mm/sec	0/1/00	Y	12:00:00 AM				NRR
B2 - Resident	Peak Particle Velocity	Per Blast	0	100	mm/sec	0/1/00	Y	12:00:00 AM				NRR
B3 - Resident	Peak Particle Velocity	Per Blast	0	5	mm/sec	0/1/00	Y	12:00:00 AM				NRR
B4 - Resident	Peak Particle Velocity	Per Blast	0	5	mm/sec	0/1/00	Y	12:00:00 AM				NRR
B4 - Resident	Overpressure	Per Blast	0	115	dB	0/1/00	Y	12:00:00 AM				NRR
B5 - Resident	Peak Particle Velocity	Per Blast	0	5	mm/sec	0/1/00	Y	12:00:00 AM				NRR

Site: Cooma Road Quarry

Environment Protection Licence No.	1453
Site Name (As it appears on the licence)	Cooma Road Quarry
Site Address (As it appears on the licence)	Cooma Road Quarry Cooma Road Queanbeyan NSW 2620
Link to Licence on EPA Website	http://www.environment.nsw.gov.au/eprocapp/ViewPOEOLLicence.aspx?DOCID=28928&SYSUID=1&LICID=1453

Water												
Barracks Creek	pH	Monthly	6.5	8.5	pH	7/7/17	Y					7.3
	Total D&G	Monthly	0	10	mg/L	7/7/17	Y					<1
	Susp. Solids	Monthly	0	50	mg/L	7/7/17	Y					<2

Blasting												
Heffernans House	Overpressure	Per blast	0	115	dB	13/7/2017	Y					109
Heffernans House	Vibration	Per blast	0	5	mm/s	13/7/2018	Y					0.27
Heffernans House	Overpressure	Per blast	0	115	dB		Y					NRR
Heffernans House	Vibration	Per blast	0	5	mm/s		Y					NRR

Heffernans House	Overpressure	Per blast	0	115	dB		Y			NRR
	Vibration	Per blast	0	5	mm/s		Y			NRR
Heffernans House	Overpressure	Per blast	0	115	dB		Y			NRR
	Vibration	Per blast	0	5	mm/s		Y			NRR

Site: Dubbo Quarry

Environment Protection Licence No.	2212
Site Name (As it appears on the licence)	Dubbo Quarry
Site Address (As it appears on the licence)	Sheraton Road, Dubbo, NSW,2830
Link to Licence on EPA Website	http://www.environment.nsw.gov.au/epoecapp/ViewPOEOLLicence.aspx?DOCID=290368&SYSUID=1&LICID=2212

WARRENS HOUSE	Overpressure	Per blast		120	dB		Y			NRR
	Vibration	Per blast		10	mm/s		Y			NRR
WARRENS HOUSE	Overpressure	Per blast		120	dB		Y			NRR
	Vibration	Per blast		10	mm/s		Y			NRR
WARRENS HOUSE	Overpressure	Per blast		120	dB		Y			NRR
	Vibration	Per blast		10	mm/s		Y			NRR
WARRENS HOUSE	Overpressure	Per blast		120	dB		Y			NRR
	Vibration	Per blast		10	mm/s		Y			NRR

Site: Humes - Blacktown

Environment Protection Licence No.	1310
Site Name (As it appears on the licence)	Humes Blacktown
Site Address (As it appears on the licence)	Humes Blacktown Lot 1 Woodstock Ave ROOTY HILL NSW 2766
Link to Licence on EPA Website	http://www.environment.nsw.gov.au/epoecapp/ViewPOEOLLicence.aspx?DOCID=289588&SYSUID=1&LICID=1310

Sediment Basin	TSS	Daily During Discharge		50	mg/L	7/12/17	Y			38
	pH	Daily During Discharge	6.5	8.5	pH	7/12/17	Y			7.58
Sediment Basin	TSS	Daily During Discharge		50	mg/L		Y			NRR
	pH	Daily During Discharge	6.5	8.5	pH		Y			NRR
Sediment Basin	TSS	Daily During Discharge		50	mg/L		Y			NRR
	pH	Daily During Discharge	6.5	8.5	pH		Y			NRR
Sediment Basin	TSS	Daily During Discharge		50	mg/L		Y			NRR
	pH	Daily During Discharge	6.5	8.5	pH		Y			NRR
Sediment Basin	TSS	Daily During Discharge		50	mg/L		Y			NRR
	pH	Daily During Discharge	6.5	8.5	pH		Y			NRR
Sediment Basin	TSS	Daily During Discharge		50	mg/L		Y			NRR
	pH	Daily During Discharge	6.5	8.5	pH		Y			NRR
Sediment Basin	TSS	Daily During Discharge		50	mg/L		Y			NRR
	pH	Daily During Discharge	6.5	8.5	pH		Y			NRR
Sediment Basin	TSS	Daily During Discharge		50	mg/L		Y			NRR
	pH	Daily During Discharge	6.5	8.5	pH		Y			NRR
Sediment Basin	TSS	Daily During Discharge		50	mg/L		Y			NRR
	pH	Daily During Discharge	6.5	8.5	pH		Y			NRR
Sediment Basin	TSS	Daily During Discharge		50	mg/L		Y			NRR
	pH	Daily During Discharge	6.5	8.5	pH		Y			NRR
Sediment Basin	TSS	Daily During Discharge		50	mg/L		Y			NRR
	pH	Daily During Discharge	6.5	8.5	pH		Y			NRR

Site: Teven Quarry

Environment Protection Licence No.	3293
Site Name (As it appears on the licence)	Readymix Teven Quarry
Site Address (As it appears on the licence)	Stokers Lane Teven NSW 2478
Link to Licence on EPA Website	http://www.environment.nsw.gov.au/epoecapp/ViewPOEOLLicence.aspx?DOCID=291688&SYSUID=1&LICID=3293

ID #1	pH	Weekly	6.5	8.5	pH	7/3/17	Y			7.6
	pH	Weekly	6.5	8.5	pH	7/10/17	Y			7.7
ID #1	Oil&Grease	Yearly during discharge (August)	0	10	mg/L		Y			NRR
	TSS	Yearly during discharge (August)	0	50	mg/L		Y			NRR

144 Stokers Lane - Murphy's Residence	dB(A) LAeq 15 min	Not specified	0	46	dB		Y			NRR
---------------------------------------	-------------------	---------------	---	----	----	--	---	--	--	-----

Site: Boambee Quarry

Environment Protection Licence No.	7094
Site Name (As it appears on the licence)	Boambee Quarry
Site Address (As it appears on the licence)	Boambee Quarry North Boambee Road BOAMBE NSW 2450
Link to Licence on EPA Website	http://www.environment.nsw.gov.au/epoecapp/ViewPOEOLLicence.aspx?DOCID=312358&SYSUID=1&LICID=7094

Blasting (M4 & L2.1 - To determine compliance with L3, measurements to be taken at any point within 1 metre of residential boundary)										
	Overpressure	Per blast	0	120	dB		Y			106.6
	Vibration	Per blast	0	10	mm/s		Y			1.6
	Overpressure	Per blast	0	120	dB		Y			Shot 179
	Vibration	Per blast	0	10	mm/s		Y			NRR
	Overpressure	Per blast	0	120	dB		Y			NRR
	Vibration	Per blast	0	10	mm/s		Y			NRR
	Overpressure	Per blast	0	120	dB		Y			NRR
	Vibration	Per blast	0	10	mm/s		Y			NRR

Site: Tuncurry Sand

Environment Protection Licence No.	13359
Site Name (As it appears on the licence)	Tuncurry Sand Quarry
Site Address (As it appears on the licence)	Tip Road Tuncurry NSW 2428
Link to Licence on EPA Website	http://www.environment.nsw.gov.au/epoecapp/ViewPOEOLLicence.aspx?DOCID=309458&SYSUID=1&LICID=13359

Water										
ID#2 Surface H20 "Lake 1"	Arsenic	Quarterly	0		mg/L		Y			NRR
	Conductivity	Quarterly	0		µS/cm		Y			NRR
	Copper	Quarterly	0		mg/L		Y			NRR
	Iron	Quarterly	0		mg/L		Y			NRR
	pH	Quarterly	0		pH		Y			NRR
	Zinc	Quarterly	0		mg/L		Y			NRR
ID#3 Surface H20 "Lake 2"	Arsenic	Quarterly	0		mg/L		Y			NRR
	Conductivity	Quarterly	0		µS/cm		Y			NRR
	Copper	Quarterly	0		mg/L		Y			NRR
	Iron	Quarterly	0		mg/L		Y			NRR
	pH	Quarterly	0		pH		Y			NRR
	Zinc	Quarterly	0		mg/L		Y			NRR
ID#4 Surface H20 "Lake 3"	Arsenic	Quarterly	0		mg/L		Y			NRR
	Conductivity	Quarterly	0		µS/cm		Y			NRR
	Copper	Quarterly	0		mg/L		Y			NRR
	Iron	Quarterly	0		mg/L		Y			NRR
	pH	Quarterly	0		pH		Y			NRR
	Zinc	Quarterly	0		mg/L		Y			NRR
ID#5 Surface H20 "Lake 4"	Arsenic	Quarterly	0		mg/L		Y			NRR
	Conductivity	Quarterly	0		µS/cm		Y			NRR
	Copper	Quarterly	0		mg/L		Y			NRR
	Iron	Quarterly	0		mg/L		Y			NRR
	pH	Quarterly	0		pH		Y			NRR
	Zinc	Quarterly	0		mg/L		Y			NRR
Air										
ID #1	Deposited Matter	Monthly	0	4	g/m ² /month		Y			NRR

