

Noise Monitoring Assessment

Teven Quarry, Teven, NSW
Quarter 2 Ending June 2022



Document Information

Noise Monitoring Assessment

Teven Quarry, Teven, NSW

Quarter 2 Ending June 2022

Prepared for: Holcim (Australia) Pty Ltd



Prepared by: Muller Acoustic Consulting Pty Ltd

PO Box 678, Kotara NSW 2289

ABN: 36 602 225 132

P: +61 2 4920 1833

www.mulleracoustic.com

Document ID	Date	Prepared By	Signed	Reviewed By	Signed
MAC180611-06RP16	30 May 2022	Nicholas Shipman		Rod Linnett	

DISCLAIMER

All documents produced by Muller Acoustic Consulting Pty Ltd (MAC) are prepared for a particular client's requirements and are based on a specific scope, circumstances and limitations derived between MAC and the client. Information and/or report(s) prepared by MAC may not be suitable for uses other than the original intended objective. No parties other than the client should use or reproduce any information and/or report(s) without obtaining permission from MAC. Any information and/or documents prepared by MAC is not to be reproduced, presented or reviewed except in full.

CONTENTS

1	INTRODUCTION	5
2	NOISE CRITERIA	7
3	METHODOLOGY	9
3.1	LOCALITY	9
3.2	NOISE MONITORING LOCATIONS	9
3.3	ASSESSMENT METHODOLOGY	9
4	RESULTS	11
4.1	ASSESSMENT RESULTS - LOCATION NM1	11
4.2	ASSESSMENT RESULTS - LOCATION NM2	12
4.3	ASSESSMENT RESULTS - LOCATION NM3	13
4.4	ASSESSMENT RESULTS - LOCATION NM4	14
4.5	ASSESSMENT RESULTS - LOCATION NM5	15
5	DISCUSSION	17
5.1	DISCUSSION OF RESULTS - LOCATION NM1	17
5.2	DISCUSSION OF RESULTS - LOCATION NM2	17
5.3	DISCUSSION OF RESULTS - LOCATION NM3	17
5.4	DISCUSSION OF RESULTS - LOCATION NM4	18
5.5	DISCUSSION OF RESULTS - LOCATION NM5	18
6	CONCLUSION	19

APPENDIX A - GLOSSARY OF TERMS

This page has been intentionally left blank

1 Introduction

Muller Acoustic Consulting Pty Ltd (MAC) has been commissioned by Holcim (Australia) Pty Ltd (Holcim) to complete a Noise Monitoring Assessment (NMA) for the quarterly period ending June 2022 for Teven Quarry (the 'quarry'), Teven, NSW.

The monitoring has been conducted in accordance with the Teven Noise Management Plan (NMP) and in general accordance with relevant conditions outlined in the Development Consent (ref: SSD 6422) at five representative monitoring locations. This assessment has been undertaken during Quarter 2, ending June 2022 and forms part of the noise monitoring program for the quarry.

The assessment has been conducted in accordance with the following documents:

- NSW Environment Protection Authority (EPA), Noise Policy for Industry (NPI), 2017;
- NSW Environment Protection Authority (EPA), Environmental Protection Licence (EPL 3293);
- NSW Department of Planning and Environment, Development Consent (SSD 6422), 2015;
- Teven Quarry Noise Management Plan Revision 1, 4 May 2016 (EMM); and
- Australian Standard AS 1055:2018 - Acoustics - Description and measurement of environmental noise.

A glossary of terms, definitions and abbreviations used in this report is provided in **Appendix A**.

This page has been intentionally left blank

2 Noise Criteria

Schedule 3 of the Teven Quarry Development Consent (2015) outlines the applicable noise criteria for residential receivers surrounding the quarry site.

Table 1 reproduces relevant criteria for each of the receivers as outlined in the quarry's Development Consent.

Table 1 Noise Criteria		
Location ¹	Quarry Operations	
	Period: Day	Period: Evening
	7am – 6pm	6pm – 10pm
	dB LAeq(15min)	dB LAeq(15min)
R3, R4, R13, R15, R16, R17, R18, R20	38	35
All other receivers	37	35

Note 1: Receiver locations are shown in Figure 1.

This page has been intentionally left blank

3 Methodology

3.1 Locality

The quarry is located in Teven, NSW approximately 7km west of Ballina, NSW. Receivers in the locality surrounding the quarry are primarily rural residential. The surroundings of the quarry are primarily rural. The monitoring locations with respect to the quarry are presented in the locality plan shown in **Figure 1**.

3.2 Noise Monitoring Locations

Five monitoring locations have been selected as part of the NMA in accordance with the NMP. The selected monitoring locations are presented in **Table 2** along with the noise sensitive receivers they represent.

Table 2 Monitoring Locations (MGA56 Coordinates)			
Location	Nearest Receiver	Easting, m	Northing, m
NM1	R7	546737	6809918
NM2	R3/R4	548892	6810285
NM3	R2	547781	6808991
NM4	R10	547576	6810379
NM5	R14	548100	6810792

3.3 Assessment Methodology

Attended noise surveys were conducted in general accordance with the procedures described in Australian Standard AS 1055:2018, "Acoustics - Description and Measurement of Environmental Noise and the NPI. Measurements were carried out using a Svantek Type 1, 971 noise analyser on Wednesday 18 May 2022 and Thursday 19 May 2022. Acoustic instrumentation used carries current NATA calibration and complies with AS/NZS IEC 61672.1-2019-Electroacoustics - Sound level meters - Specifications. Calibration of all instrumentation was checked prior to and following measurements. Drift in calibration did not exceed $\pm 0.5\text{dBA}$.

As per the Noise Management Plan, two daytime measurements were conducted at each monitoring location. It is noted that the quarry was not operating during the evening period, however two measurements were conducted at each monitoring location as per the requirements of the EPL.

Measurements were of 15 minutes in duration and where possible, throughout each survey the operator quantified the contribution of each significant noise source. Extraneous noise sources were excluded from the analysis to determine the $\text{LAeq}(15\text{min})$ noise contribution for comparison against the relevant criteria. Where the quarry was inaudible, the contribution is estimated to be at least 10dB below the ambient noise level.





FIGURE 1
Site Locality
MAC180611-06
Holcim Teven Quarry

KEY

● Noise Monitoring Locations



4 Results

4.1 Assessment Results - Location NM1

The monitored noise level contributions and observed meteorological conditions for each day and evening survey period at Location NM1 are presented in Table 3.

Table 3 Operator-Attended Noise Survey Results – Location NM1						
Date	Time (hrs)	Descriptor (dBA re 20 µPa)			Meteorology	Description and SPL, dBA
		L _A max	L _A eq	L _A 90		
19/05/2022	09:09 (Day)	76	55	40	WD: N WS: 0.4m/s Rain: Nil	Insects <38
						Birds 38-49
						Traffic 37-72
						Wind in trees 38-46
						Aircraft 46-76
Teven Quarry L _A eq(15min) Contribution						Quarry inaudible
Teven Quarry L _A eq(15min) Contribution						<30
19/05/2022	09:24 (Day)	70	48	39	WD: N WS: 0.4m/s Rain: Nil	Insects <37
						Birds 37-56
						Traffic 38-70
						Aircraft 39-44
						Quarry inaudible
Teven Quarry L _A eq(15min) Contribution						<29
18/05/2022	18:25 (Evening)	58	41	39	WD: N WS: 0.8m/s Rain: Nil	Insects 37-48
						Traffic 38-44
						Aircraft 41-43
						Wind in trees 38-41
						MAC operator 52-58
Teven Quarry L _A eq(15min) Contribution						Quarry inaudible
Teven Quarry L _A eq(15min) Contribution						Quarry not operational
18/05/2022	18:40 (Evening)	62	41	36	WD: N WS: 1m/s Rain: Nil	Insects 36-44
						Traffic 35-62
						Wind in trees 36-42
						Quarry inaudible
						Quarry not operational
Teven Quarry L _A eq(15min) Contribution						Quarry not operational

Note: Day - the period from 7am to 6pm Monday to Saturday or 8am to 6pm on Sundays and public holidays; Evening - the period from 6pm to 10pm; Night - the remaining periods.

4.2 Assessment Results - Location NM2

The monitored noise level contributions and observed meteorological conditions for each day and evening survey period at Location NM2 are presented in Table 4.

Table 4 Operator-Attended Noise Survey Results – Location NM2

Date	Time (hrs)	Descriptor (dBA re 20 µPa)			Meteorology	Description and SPL, dBA
		L _A max	L _A eq	L _A 90		
19/05/2022	09:51 (Day)	97	69	42	WD: N	Birds 41-72
					WS: 0.4m/s	Traffic 41-97
					Rain: Nil	Insects <40
						Local residential noise 39-46
						Quarry alarms barely audible
Teven Quarry L _A eq(15min) Contribution						<32
19/05/2022	10:06 (Day)	84	64	41	WD: N	Birds 40-51
					WS: 0.4m/s	Traffic 39-84
					Rain: Nil	Insects <40
						Dog bark 46-51
						Local residential noise 40-60
Teven Quarry L _A eq(15min) Contribution						<37
18/05/2022	19:10 (Evening)	86	56	36	WD: N	Insects 36-42
					WS: 0.2m/s	Traffic 35-86
					Rain: Nil	Quarry inaudible
Teven Quarry L _A eq(15min) Contribution						Quarry not operational
18/05/2022	19:25 (Evening)	85	59	36	WD: N	Insects 37-42
					WS: 0.2m/s	Traffic 36-85
					Rain: Nil	Quarry inaudible
Teven Quarry L _A eq(15min) Contribution						Quarry not operational

Note: Day - the period from 7am to 6pm Monday to Saturday or 8am to 6pm on Sundays and public holidays; Evening - the period from 6pm to 10pm; Night - the remaining periods.

4.3 Assessment Results - Location NM3

The monitored noise level contributions and observed meteorological conditions for each day and evening survey period at Location NM3 are presented in Table 5.

Table 5 Operator-Attended Noise Survey Results – Location NM3

Date	Time (hrs)	Descriptor (dBA re 20 μPa)			Meteorology	Description and SPL, dBA					
		L _A max	L _A eq	L _A 90							
19/05/2022	10:27 (Day)	65	45	39	WD: N	Birds 37-65					
					WS: 0.4m/s	Insects <40					
					Rain: Nil	Traffic 37-45					
						Aircraft 39-56					
						Quarry inaudible					
Teven Quarry L _A eq(15min) Contribution						<29					
19/05/2022	10:42 (Day)	87	58	38	WD: N	Birds 41-46					
					WS: 0.3m/s	Insects <38					
					Rain: Nil	Traffic 38-87					
						Quarry inaudible					
					Teven Quarry L _A eq(15min) Contribution						<35
18/05/2022	19:45 (Evening)	46	41	39	WD: N	Insects 37-43					
					WS: 0.2m/s	Traffic 37-46					
					Rain: Nil	Quarry inaudible					
					Teven Quarry L _A eq(15min) Contribution						Quarry not operational
					18/05/2022	20:00 (Evening)	46	41	39	WD: N	Insects 37-41
WS: 0.2m/s	Traffic 40-46										
Rain: Nil	Quarry inaudible										
Teven Quarry L _A eq(15min) Contribution										Quarry not operational	

Note: Day - the period from 7am to 6pm Monday to Saturday or 8am to 6pm on Sundays and public holidays; Evening - the period from 6pm to 10pm; Night - the remaining periods.

4.4 Assessment Results - Location NM4

The monitored noise level contributions and observed meteorological conditions for each day and evening survey period at Location NM4 are presented in **Table 6**.

Table 6 Operator-Attended Noise Survey Results – Location NM4

Date	Time (hrs)	Descriptor (dBA re 20 µPa)			Meteorology	Description and SPL, dBA
		L _A max	L _A eq	L _A 90		
19/05/2022	11:04 (Day)	83	63	45	WD: N	Traffic 43-83
					WS: 0.3m/s	Birds 44-52
					Rain: Nil	Quarry processing 35-40
Teven Quarry L _A eq(15min) Contribution						37
19/05/2022	11:19 (Day)	87	64	43	WD: N	Traffic 41-87
					WS: 0.2m/s	Birds 40-47
					Rain: Nil	Insects <42
Teven Quarry L _A eq(15min) Contribution						Quarry processing 34-39
Teven Quarry L _A eq(15min) Contribution						36
18/05/2022	20:22 (Evening)	75	46	36		Insects 36-41
					WD: N	Traffic 40-46
					WS: 0.3m/s	Aircraft 36-44
Teven Quarry L _A eq(15min) Contribution						Birds 34-75
Teven Quarry L _A eq(15min) Contribution						Quarry inaudible
Teven Quarry L _A eq(15min) Contribution						Quarry not operational
18/05/2022	20:37 (Evening)	50	38	35		Insects 34-40
					WD: N	Aircraft 39-50
					WS: 0.2m/s	Traffic 36-41
Teven Quarry L _A eq(15min) Contribution						Birds 38-46
Teven Quarry L _A eq(15min) Contribution						Quarry inaudible
Teven Quarry L _A eq(15min) Contribution						Quarry not operational

Note: Day - the period from 7am to 6pm Monday to Saturday or 8am to 6pm on Sundays and public holidays; Evening - the period from 6pm to 10pm; Night - the remaining periods.

Note 1: Contribution calculated at 108 Stockers Lane.

4.5 Assessment Results - Location NM5

The monitored noise level contributions and observed meteorological conditions for each day and evening survey period at Location NM5 are presented in **Table 7**.

Table 7 Operator-Attended Noise Survey Results – Location NM5

Date	Time (hrs)	Descriptor (dBA re 20 µPa)			Meteorology	Description and SPL, dBA
		L _A max	L _A eq	L _A 90		
19/05/2022	11:37 (Day)	83	62	38	WD: N WS: 0.3m/s Rain: Nil	Traffic 36-83
						Insects <35
						Birds 36-54
						Quarry alarms <34
						Quarry processing 34-36
						(5 minutes)
Teven Quarry L _A eq(15min) Contribution						30
19/05/2022	11:52 (Day)	81	63	38	WD: N WS: 0.3m/s Rain: Nil	Traffic 37-81
						Insects <35
						Aircraft 42-53
						Quarry alarms <35
						Quarry processing 34-36
Teven Quarry L _A eq(15min) Contribution						35
18/05/2022	20:56 (Evening)	68	52	34	WD: N WS: 0.3m/s Rain: Nil	Insects 34-39
						Birds 36-54
						Aircraft 38-68
						Traffic 38-56
						Quarry inaudible
Teven Quarry L _A eq(15min) Contribution						Quarry not operational
18/05/2022	21:11 (Evening)	45	37	34	WD: N WS: 0.3m/s Rain: Nil	Insects 32-40
						Traffic 35-45
						Quarry inaudible
Teven Quarry L _A eq(15min) Contribution						Quarry not operational

Note: Day - the period from 7am to 6pm Monday to Saturday or 8am to 6pm on Sundays and public holidays; Evening - the period from 6pm to 10pm; Night - the remaining periods.

This page has been intentionally left blank

5 Discussion

5.1 Discussion of Results - Location NM1

Quarry noise emissions were inaudible during the daytime measurements conducted on Thursday 19 May 2022. Quarry noise contributions were estimated to satisfy the daytime noise limits. The quarry was not operational during the evening period which satisfied the relevant evening noise limits however background measurements were completed as per the requirements of the EPL.

Non quarry noise sources observed during the measurements included insects, birds, traffic, wind in trees, operator noise and aircraft.

5.2 Discussion of Results - Location NM2

Quarry noise emissions were audible during the daytime measurements conducted on Thursday 19 May 2022. Quarry noise contributions were estimated to satisfy the daytime noise limits. The quarry was not operational during the evening period which satisfied the relevant evening noise limits however background measurements were completed as per the requirements of the EPL.

Quarry noise sources observed during the measurements included the processing activities. Non quarry noise sources observed during the measurements included birds, traffic, insects, local residential noise and dog bark.

5.3 Discussion of Results - Location NM3

Quarry noise emissions were inaudible during the daytime measurements conducted on Thursday 19 May 2022. Quarry noise contributions were estimated to be less than 35dBA for both measurements and satisfy the daytime noise limits. The quarry was not operational during the evening period which satisfied the relevant evening noise limits however background measurements were completed as per the requirements of the EPL.

Non quarry noise sources observed during the measurements included insects, birds, traffic and aircraft.

5.4 Discussion of Results - Location NM4

Quarry noise emissions were audible during the daytime noise measurements conducted on Thursday 19 May 2022. Quarry noise contributions were estimated between 36dBA and 37dBA for both measurements and therefore satisfied the daytime noise limits.

It was observed that the stockpiles to the north of the processing area were significantly higher compared to the previous survey where compliance was not achieved.

The quarry was not operational during the evening period which satisfied the relevant evening noise limits however background measurements were completed as per the requirements of the EPL.

Quarry noise sources observed during the measurements included processing activities. Non quarry noise sources included traffic, birds, insects and aircraft.

5.5 Discussion of Results - Location NM5

Quarry noise emissions were audible during the daytime measurements conducted on Thursday 19 May 2022. Quarry noise contributions were estimated to be less than 35dBA for both measurements and satisfy the daytime noise limits. The quarry was not operational during the evening period which satisfied the relevant evening noise limits however background measurements were completed as per the requirements of the EPL.

It is noted that due to excessive rainfall access to receiver NM5 was not available. An intermediate location on Stokers Lane closer to the quarry was used to complete the assessment.

Non quarry noise sources observed during the measurements included traffic, aircraft, birds and insects.

6 Conclusion

Muller Acoustic Consulting Pty Ltd (MAC) has completed a Noise Monitoring Assessment (NMA) on behalf of Holcim (Australia) Pty Ltd at Teven Quarry, Teven, NSW. The assessment was completed to determine the quarry's compliance with the relevant criteria outlined in their Development Consent for the relevant surrounding residential receivers during Quarter 2, ending June 2022.

Attended noise measurements were undertaken on Wednesday 18 May 2022 and Thursday 19 May 2022 at five representative monitoring locations with quarry noise contributions compared against the relevant criteria.

The assessment has identified that noise emissions generated by Teven Quarry were audible on several occasions although complied with relevant criteria.

This page has been intentionally left blank

Appendix A - Glossary of Terms


Table A1 provides a number of technical terms have been used in this report.

Table A1 Glossary of Terms	
Term	Description
1/3 Octave	Single octave bands divided into three parts
Octave	A division of the frequency range into bands, the upper frequency limit of each band being twice the lower frequency limit.
ABL	Assessment Background Level (ABL) is defined in the NPI as a single figure background level for each assessment period (day, evening and night). It is the tenth percentile of the measured LA90 statistical noise levels.
Adverse Weather	Weather effects that enhance noise (that is, wind and temperature inversions) that occur at a site for a significant period of time (that is, wind occurring more than 30% of the time in any assessment period in any season and/or temperature inversions occurring more than 30% of the nights in winter).
Ambient Noise	The noise associated with a given environment. Typically a composite of sounds from many sources located both near and far where no particular sound is dominant.
A Weighting	A standard weighting of the audible frequencies designed to reflect the response of the human ear to noise.
dBA	Noise is measured in units called decibels (dB). There are several scales for describing noise, the most common being the 'A-weighted' scale. This attempts to closely approximate the frequency response of the human ear.
dB(Z), dB(L)	Decibels Linear or decibels Z-weighted.
Hertz (Hz)	The measure of frequency of sound wave oscillations per second - 1 oscillation per second equals 1 hertz.
LA10	A noise level which is exceeded 10 % of the time. It is approximately equivalent to the average of maximum noise levels.
LA90	Commonly referred to as the background noise, this is the level exceeded 90 % of the time.
LAeq	The summation of noise over a selected period of time. It is the energy average noise from a source, and is the equivalent continuous sound pressure level over a given period.
LAm _{ax}	The maximum root mean squared (rms) sound pressure level received at the microphone during a measuring interval.
RBL	The Rating Background Level (RBL) is an overall single figure background level representing each assessment period over the whole monitoring period. The RBL is used to determine the intrusiveness criteria for noise assessment purposes and is the median of the ABL's.
Sound power level (LW)	<p>This is a measure of the total power radiated by a source. The sound power of a source is a fundamental location of the source and is independent of the surrounding environment. Or a measure of the energy emitted from a source as sound and is given by :</p> $= 10 \cdot \log_{10} (W/W_0)$ <p>Where : W is the sound power in watts and W₀ is the sound reference power at 10-12 watts.</p>

Table A2 provides a list of common noise sources and their typical sound level.

Table A2 Common Noise Sources and Their Typical Sound Pressure Levels (SPL), dBA	
Source	Typical Sound Level
Threshold of pain	140
Jet engine	130
Hydraulic hammer	120
Chainsaw	110
Industrial workshop	100
Lawn-mower (operator position)	90
Heavy traffic (footpath)	80
Elevated speech	70
Typical conversation	60
Ambient suburban environment	40
Ambient rural environment	30
Bedroom (night with windows closed)	20
Threshold of hearing	0

Figure A1 – Human Perception of Sound



Muller Acoustic Consulting Pty Ltd

PO Box 678, Kotara NSW 2289

ABN: 36 602 225 132

Ph: +61 2 4920 1833

www.mulleracoustic.com

