



Pollution Monitoring Data - Holcim Dubbo Quarry (EPL Number 2212)

Facility Address	Dubbo Quarry, Sheraton Road, Dubbo, NSW, 2830
Licence Details	Link to EPL on Public Register
Date Dataset Updated	Wednesday, September 30, 2026
Date Dataset Published	Friday, October 16, 2026
Licence Reporting Period	May to April (Annually)

Annual Blast Monitoring Results - 2026

Location	Frequency	Source	Upper Limit	Unit	Description	HD26-187	HD26-188	HD26-189	HD26-190	HD26-191	HD26-192
						9 Jan 2026	27-Jan-2026	2 Feb 2026	20 Feb 2026	6 Mar 2026	01-Apr-2026
West of Front Gate	Per Blast	EPL Section L3	115	dB (Lin Peak)	Over Pressure	103.6	DNT	DNT	103.7	107.8	108.3
						Within Criteria	Pass	Pass	Within Criteria	Within Criteria	Within Criteria
			5	mm/s	Ground Vibration	0.14	DNT	DNT	2.47	4.94	0.15
						Within Criteria	Pass	Pass	Within Criteria	Within Criteria	Within Criteria

Location	Frequency	Source	Upper Limit	Unit	Description	HD26-193	HD26-194	HD-195			
						1 May 2026	12 May 2026	11-Jun-2026			
West of Front Gate	Per Blast	EPL Section L3	115	dB (Lin Peak)	Over Pressure	114.7	109.1	105.0	114.0		
						Within Criteria	Within Criteria	Within Criteria	Within Criteria		
			5	mm/s	Ground Vibration	0.89	0.76	0.76	2.63		
						Within Criteria	Within Criteria	Within Criteria	Within Criteria		

Comments regarding blast monitoring outcomes

Comment 1:	DNT = "Did Not Trigger" with overpressure monitoring equipment set at a trigger point of 90 dBa or ground vibration monitoring equipment set at a trigger point of 0.1 mm/s
Comment 2:	

Annual Blast Monitoring Results - 2026

Annual Overpressure Monitoring Requirements - Maximum Overpressure

Overpressure High Range Requirement:	Source	Criteria	Outcome
The airblast overpressure level from blasting operations in or on the premises must not exceed 120 dB (Lin Peak) at any time.	EPL Clause L3.1	Blast Count (YTD)	10
		Blasts with overpressure >120dB during the reporting period	0
		Annual Overpressure (Pass / Fail)	Within Criteria

Annual Overpressure Monitoring Requirements - Overpressure High Range

Overpressure High Range Requirement:	Source	Criteria	Outcome
The airblast overpressure level from blasting operations in or on the premises must not exceed 115 dB (Lin Peak) for more than 5% of the total number of blasts during each reporting period.	EPL Clause L3.1	Blast Count (YTD)	10
		Blasts with overpressure >115dB during the reporting period	0
		% of blasts with overpressure >115dB during the reporting period	0%
		Annual Overpressure (Pass / Fail)	Within Criteria

Annual Ground Vibration Monitoring Requirements - Maximum Ground Vibration

Overpressure High Range Requirement:	Source	Criteria	Outcome
The ground vibration peak particle velocity from blasting operations carried out in or on the premises must not exceed 10 mm/s at any time.	EPL Clause L3.2	Blast Count (YTD)	10
		Blasts with ground vibration >10 mm/s during the reporting period	0
		Annual Ground Vibration (Pass / Fail)	Within Criteria

Annual Ground Vibration Monitoring Requirements - Ground Vibration High Range

Overpressure High Range Requirement:	Source	Criteria	Outcome
The ground vibration peak particle velocity from blasting operations carried out in or on the premises must not exceed 5mm/s for more than 5% of the total number of blasts carried out on the premises during each reporting period.	EPL Clause L3.2	Blast Count (YTD)	10
		Blasts with ground vibration >5mm/s during the reporting period	0
		% of blasts with ground vibration >5mm/s during the reporting period	0%
		Annual Ground Vibration (Pass / Fail)	Within Criteria

Blast Monitoring Results - 2025

Location	Frequency	Source	Upper Limit	Unit	Description	HD-177	HD-178	HD-179	HD-180	HD-181	HD-186
West of Front Gate	Per Blast	EPL Section L3	115	dB (Lin Peak)	Over Pressure	103.9	104.4	106.6	108	107	112
						Within Criteria	Within Criteria	Within Criteria	Within Criteria	Within Criteria	Within Criteria
			5	mm/s	Ground Vibration	2.374	3.25	2.98	2.48	2.89	3.74
						Within Criteria	Within Criteria	Within Criteria	Within Criteria	Within Criteria	Within Criteria

Location	Frequency	Source	Upper Limit	Unit	Description						
West of Front Gate	Per Blast	EPL Section L3	115	dB (Lin Peak)	Over Pressure						
			5	mm/s	Ground Vibration						

Comments regarding blast monitoring outcomes	
Comment 1:	DNT = "Did Not Trigger" with overpressure monitoring equipment set at a trigger point of 90 dBa or ground vibration monitoring equipment set at a trigger point of 0.1 mm/s
Comment 2:	Blast monitor recorded exceedence of ground vibration, Contractor analyzing data has found some reasoning behind result outside of vibration, such as monitor location and ground conditions at monitor location.

Annual Blast Monitoring Results - 2025

Annual Overpressure Monitoring Requirements - Maximum Overpressure

Overpressure High Range Requirement:	Source	Criteria	Outcome
The airblast overpressure level from blasting operations in or on the premises must not exceed120 dB (Lin Peak) at any time.	EPL Clause L3.1	Blast Count (YTD)	6
		Blasts with overpressure >120dB during the reporting period	0
		Annual Overpressure (Pass / Fail)	Within Criteria

Annual Overpressure Monitoring Requirements - Overpressure High Range

Overpressure High Range Requirement:	Source	Criteria	Outcome
		Blast Count (YTD)	6

The airblast overpressure level from blasting operations in or on the premises must not exceed 115 dB (Lin Peak) for more than 5% of the total number of blasts during each reporting period.	EPL Clause L3.1	Blasts with overpressure >115dB during the reporting period	0
		% of blasts with overpressure >115dB during the reporting period	0%
		Annual Overpressure (Pass / Fail)	Within Criteria

Annual Ground Vibration Monitoring Requirements - Maximum Ground Vibration

Overpressure High Range Requirement:	Source	Criteria	Outcome
The ground vibration peak particle velocity from blasting operations carried out in or on the premises must not exceed 10 mm/s at any time.	EPL Clause L3.2	Blast Count (YTD)	6
		Blasts with ground vibration >10 mm/s during the reporting period	0
		Annual Ground Vibration (Pass / Fail)	Within Criteria

Annual Ground Vibration Monitoring Requirements - Ground Vibration High Range

Overpressure High Range Requirement:	Source	Criteria	Outcome
The ground vibration peak particle velocity from blasting operations carried out in or on the premises must not exceed 5mm/s for more than 5% of the total number of blasts carried out on the premises during each reporting period.	EPL Clause L3.2	Blast Count (YTD)	6
		Blasts with ground vibration >5mm/s during the reporting period	0
		% of blasts with ground vibration >5mm/s during the reporting period	0%
		Annual Ground Vibration (Pass / Fail)	Within Criteria

Blast Monitoring Results - 2024

Location	Frequency	Source	Upper Limit	Unit	Description						
West of Front Gate	Per Blast	EPL Section L3	115	dB (Lin Peak)	Over Pressure						
			5	mm/s	Ground Vibration						

Location	Frequency	Source	Upper Limit	Unit	Description						
West of Front Gate	Per Blast	EPL Section L3	115	dB (Lin Peak)	Over Pressure						
			5	mm/s	Ground Vibration						

Comments regarding blast monitoring outcomes	
Comment 1:	DNT = "Did Not Trigger" with overpressure monitoring equipment set at a trigger point of 90 dBa or ground vibration monitoring equipment set at a trigger point of 0.1 mm/s

Comment 2:	Blast monitor recorded exceedence of ground vibration, Contractor analyzing data has found some reasoning behind result outside of vibration, such as monitor location and ground conditions at monitor location.
------------	---

Annual Blast Monitoring Results - 2024

Annual Overpressure Monitoring Requirements - Maximum Overpressure

Overpressure High Range Requirement:	Source	Criteria	Outcome
The airblast overpressure level from blasting operations in or on the premises must not exceed 120 dB (Lin Peak) at any time.	EPL Clause L3.1	Blast Count (YTD)	0
		Blasts with overpressure >120dB during the reporting period	0
		Annual Overpressure (Pass / Fail)	Within Criteria

Annual Overpressure Monitoring Requirements - Overpressure High Range

Overpressure High Range Requirement:	Source	Criteria	Outcome
The airblast overpressure level from blasting operations in or on the premises must not exceed 115 dB (Lin Peak) for more than 5% of the total number of blasts during each reporting period.	EPL Clause L3.1	Blast Count (YTD)	0
		Blasts with overpressure >115dB during the reporting period	0
		% of blasts with overpressure >115dB during the reporting period	#DIV/0!
		Annual Overpressure (Pass / Fail)	#DIV/0!

Annual Ground Vibration Monitoring Requirements - Maximum Ground Vibration

Overpressure High Range Requirement:	Source	Criteria	Outcome
The ground vibration peak particle velocity from blasting operations carried out in or on the premises must not exceed 10 mm/s at any time.	EPL Clause L3.2	Blast Count (YTD)	0
		Blasts with ground vibration >10 mm/s during the reporting period	0
		Annual Ground Vibration (Pass / Fail)	Within Criteria

Annual Ground Vibration Monitoring Requirements - Ground Vibration High Range

Overpressure High Range Requirement:	Source	Criteria	Outcome
The ground vibration peak particle velocity from blasting operations carried out in or on the premises must not exceed 5mm/s for more than 5% of the total number of blasts carried out on the premises during each reporting period.	EPL Clause L3.2	Blast Count (YTD)	1
		Blasts with ground vibration >5mm/s during the reporting period	0
		% of blasts with ground vibration >5mm/s during the reporting period	0%
		Annual Ground Vibration (Pass / Fail)	Within Criteria

Blast Monitoring Results - 2023

Location	Frequency	Source	Upper Limit	Unit	Description	161	162	163	164	165	166
						31/01/2023	31/03/2023	20/04/2023	20/04/2023	29/05/2023	19/07/2023

West of Front Gate	Per Blast	EPL Section L3	115	dB (Lin Peak)	Over Pressure	97.4	111.4	103.3	105.6	109.1	102.3
						Within Criteria	Within Criteria	Within Criteria	Within Criteria	Within Criteria	Within Criteria
			5	mm/s	Ground Vibration	0.83	1.64	1.77	1.35	0.94	1.23
						Within Criteria	Within Criteria	Within Criteria	Within Criteria	Within Criteria	Within Criteria

Location	Frequency	Source	Upper Limit	Unit	Description	167	168	169	170
						01/09/2023	Did Not Perform	07/11/2023	08/12/2023
West of Front Gate	Per Blast	EPL Section L3	115	dB (Lin Peak)	Over Pressure	104.5	0	107.5	105.4
						Within Criteria	Within Criteria	Within Criteria	Within Criteria
			5	mm/s	Ground Vibration	1.17	0	2.22	2.058
						Within Criteria	Within Criteria	Within Criteria	Within Criteria

Comments regarding blast monitoring outcomes	
Comment 1:	DNT = "Did Not Trigger" with overpressure monitoring equipment set at a trigger point of 90 dBa or ground vibration monitoring equipment set at a trigger point of 0.1 mm/s
Comment 2:	Did Not Perform = Monitoring equipment was set up for the blast but failed and did not record over pressure or ground vibration values.

Annual Blast Monitoring Results - 2023

Annual Overpressure Monitoring Requirements - Maximum Overpressure

Overpressure High Range Requirement:	Source	Criteria	Outcome
The airblast overpressure level from blasting operations in or on the premises must not exceed 120 dB (Lin Peak) at any time.	EPL Clause L3.1	Blast Count (YTD)	10
		Blasts with overpressure >120dB during the reporting period	0
		Annual Overpressure (Pass / Fail)	Within Criteria

Annual Overpressure Monitoring Requirements - Overpressure High Range

Overpressure High Range Requirement:	Source	Criteria	Outcome
The airblast overpressure level from blasting operations in or on the premises must not exceed 115 dB (Lin Peak) for more than 5% of the total number of blasts during each reporting period.	EPL Clause L3.1	Blast Count (YTD)	10
		Blasts with overpressure >115dB during the reporting period	0
		% of blasts with overpressure >115dB during the reporting period	0%
		Annual Overpressure (Pass / Fail)	Within Criteria

Annual Ground Vibration Monitoring Requirements - Maximum Ground Vibration

Overpressure High Range Requirement:	Source	Criteria	Outcome
The ground vibration peak particle velocity from blasting operations carried out in or on the premises must not exceed 10 mm/s at any time.	EPL Clause L3.2	Blast Count (YTD)	10
		Blasts with ground vibration >10 mm/s during the reporting period	0
		Annual Ground Vibration (Pass / Fail)	Within Criteria

Annual Ground Vibration Monitoring Requirements - Ground Vibration High Range

Overpressure High Range Requirement:	Source	Criteria	Outcome
The ground vibration peak particle velocity from blasting operations carried out in or on the premises must not exceed 5mm/s for more than 5% of the total number of blasts carried out on the premises during each reporting period.	EPL Clause L3.2	Blast Count (YTD)	10
		Blasts with ground vibration >5mm/s during the reporting period	0
		% of blasts with ground vibration >5mm/s during the reporting period	0%
		Annual Ground Vibration (Pass / Fail)	Within Criteria

Blast Monitoring Results - 2022

Blast Monitoring - 2022

Location	Frequency	Source	Upper Limit	Unit	Description	153	154	155	156	157	158
						02/10/2022	04/05/2022	05/03/2022			
West of Front Gate	Per Blast	EPL Section L3	115	dB (Lin Peak)	Over Pressure	100.2	111.6	104.8			
						Within Criteria	Within Criteria	Within Criteria			
			5	mm/s	Ground Vibration	1.92	1.45	3.26			
						Within Criteria	Within Criteria	Within Criteria			

Location	Frequency	Source	Upper Limit	Unit	Description	159	160
West of Front Gate	Per Blast	EPL Section L3	115	dB (Lin Peak)	Over Pressure		
			5	mm/s	Ground Vibration		

Annual Blast Monitoring Results

Annual Overpressure Monitoring Requirements - Maximum Overpressure

Overpressure High Range Requirement:	Source	Criteria	Outcome
The airblast overpressure level from blasting operations in or on the premises must not exceed120 dB (Lin Peak) at any time.	EPL Clause L3.1	Blast Count (YTD)	3
		Blasts with overpressure >120dB during the reporting period	0
		Annual Overpressure (Pass / Fail)	Within Criteria

Annual Overpressure Monitoring Requirements - Overpressure High Range

2026 Air Quality Monitoring - PM10

Location	North Eastern Location		
Frequency	24 HOURS (Every day)		
Source	DC		
Lower Limit	-		
Upper Limit	50		
Unit	µg/m3		



January 2026		
Sample Date	Result	Pass / Fail
1-Jan-2026	6.24	Pass
2-Jan-2026	5.85	Pass
3-Jan-2026	4.22	Pass
4-Jan-2026	4.56	Pass
5-Jan-2026	8.43	Pass
6-Jan-2026	6.14	Pass
7-Jan-2026	7.17	Pass
8-Jan-2026	10.27	Pass
9-Jan-2026	3.99	Pass
10-Jan-2026	7.04	Pass
11-Jan-2026	12.06	Pass
12-Jan-2026	5.7	Pass
13-Jan-2026	9.22	Pass
14-Jan-2026	8.18	Pass
15-Jan-2026	10.02	Pass
16-Jan-2026	11.9	Pass
17-Jan-2026	3.39	Pass
18-Jan-2026	1.75	Pass
19-Jan-2026	4.19	Pass
20-Jan-2026	6.68	Pass
21-Jan-2026	9.16	Pass
22-Jan-2026	14.12	Pass
23-Jan-2026	9.93	Pass
24-Jan-2026	8.13	Pass
25-Jan-2026	6.9	Pass
26-Jan-2026	11.97	Pass
27-Jan-2026	8.82	Pass
28-Jan-2026	8.16	Pass
29-Jan-2026	7.93	Pass
30-Jan-2026	16.48	Pass
31-Jan-2026	15.33	Pass
Mean	8.2	Pass

February 2026		
Sample Date	Result	Pass / Fail
1-Feb-2026	8.14	Pass
2-Feb-2026	14.05	Pass
3-Feb-2026	7.21	Pass
4-Feb-2026	12.66	Pass
5-Feb-2026	15.25	Pass
6-Feb-2026	11.55	Pass
7-Feb-2026	5.31	Pass
8-Feb-2026	5.83	Pass
9-Feb-2026	5.67	Pass
10-Feb-2026	9.3	Pass
11-Feb-2026	6.66	Pass
12-Feb-2026	8.33	Pass
13-Feb-2026	4.5	Pass
14-Feb-2026	4.27	Pass
15-Feb-2026	4.02	Pass
16-Feb-2026	3.3	Pass
17-Feb-2026	6.85	Pass
18-Feb-2026	13.36	Pass
19-Feb-2026	9.33	Pass
20-Feb-2026	9.9	Pass
21-Feb-2026	3.46	Pass
22-Feb-2026	2.98	Pass
23-Feb-2026	5.26	Pass
24-Feb-2026	6.3	Pass
25-Feb-2026	8.7	Pass
26-Feb-2026	4.63	Pass
27-Feb-2026	4.82	Pass
28-Feb-2026	4.52	Pass
Mean	7.4	Pass

March 2026		
Sample Date	Result	Pass / Fail
1-Mar-2026	3.85	Pass
2-Mar-2026	9.87	Pass
3-Mar-2026	6.32	Pass
4-Mar-2026	5.98	Pass
5-Mar-2026	10.99	Pass
6-Mar-2026	8.34	Pass
7-Mar-2026	4.22	Pass
8-Mar-2026	2.95	Pass
9-Mar-2026	3.91	Pass
10-Mar-2026	3.64	Pass
11-Mar-2026	17.12	Pass
12-Mar-2026	20.86	Pass
13-Mar-2026	12.61	Pass
14-Mar-2026	7.28	Pass
15-Mar-2026	6.92	Pass
16-Mar-2026	12.93	Pass
17-Mar-2026	17.98	Pass
18-Mar-2026	7.07	Pass
19-Mar-2026	3.77	Pass
20-Mar-2026	10.73	Pass
21-Mar-2026	3.72	Pass
22-Mar-2026	2.32	Pass
23-Mar-2026	2.49	Pass
24-Mar-2026	5.91	Pass
25-Mar-2026	7.95	Pass
26-Mar-2026	17.52	Pass
27-Mar-2026	5.24	Pass
28-Mar-2026	3.77	Pass
29-Mar-2026	2.56	Pass
30-Mar-2026	7.08	Pass
31-Mar-2026	8.48	Pass
Mean	7.9	Pass

April 2026		
Sample Date	Result	Pass / Fail
1-Apr-2026	13.24	Pass
2-Apr-2026	N/A	Fail
3-Apr-2026	N/A	Fail
4-Apr-2026	N/A	Fail
5-Apr-2026	N/A	Fail
6-Apr-2026	N/A	Fail
7-Apr-2026	N/A	Fail
8-Apr-2026	N/A	Fail
9-Apr-2026	N/A	Fail
10-Apr-2026	N/A	Fail
11-Apr-2026	N/A	Fail
12-Apr-2026	N/A	Fail
13-Apr-2026	N/A	Fail
14-Apr-2026	N/A	Fail
15-Apr-2026	N/A	Fail
16-Apr-2026	N/A	Fail
17-Apr-2026	N/A	Fail
18-Apr-2026	N/A	Fail
19-Apr-2026	N/A	Fail
20-Apr-2026	N/A	Fail
21-Apr-2026	N/A	Fail
22-Apr-2026	N/A	Fail
23-Apr-2026	N/A	Fail
24-Apr-2026	N/A	Fail
25-Apr-2026	N/A	Fail
26-Apr-2026	N/A	Fail
27-Apr-2026	N/A	Fail
28-Apr-2026	N/A	Fail
29-Apr-2026	N/A	Fail
30-Apr-2026	N/A	Fail
Mean	13.2	Pass

May 2026		
Sample Date	Result	Pass / Fail
1-May-2026	N/A	Fail
2-May-2026	N/A	Fail
3-May-2026	N/A	Fail
4-May-2026	N/A	Fail
5-May-2026	N/A	Fail
6-May-2026	N/A	Fail
7-May-2026	N/A	Fail
8-May-2026	N/A	Fail
9-May-2026	N/A	Fail
10-May-2026	N/A	Fail
11-May-2026	N/A	Fail
12-May-2026	N/A	Fail
13-May-2026	N/A	Fail
14-May-2026	N/A	Fail
15-May-2026	N/A	Fail
16-May-2026	N/A	Fail
17-May-2026	N/A	Fail
18-May-2026	N/A	Fail
19-May-2026	N/A	Fail
20-May-2026	N/A	Fail
21-May-2026	N/A	Fail
22-May-2026	N/A	Fail
23-May-2026	N/A	Fail
24-May-2026	N/A	Fail
25-May-2026	N/A	Fail
26-May-2026	N/A	Fail
27-May-2026	N/A	Fail
28-May-2026	N/A	Fail
29-May-2026	N/A	Fail
30-May-2026	N/A	Fail
31-May-2026	N/A	Fail
Mean	#DIV/0!	

June 2026		
Sample Date	Result	Pass / Fail
1-Jun-2026	N/A	Fail
2-Jun-2026	N/A	Fail
3-Jun-2026	N/A	Fail
4-Jun-2026	N/A	Fail
5-Jun-2026	N/A	Fail
6-Jun-2026	N/A	Fail
7-Jun-2026	N/A	Fail
8-Jun-2026	N/A	Fail
9-Jun-2026	N/A	Fail
10-Jun-2026	5.05	Pass
11-Jun-2026	1.99	Pass
12-Jun-2026	3.53	Pass
13-Jun-2026	3.42	Pass
14-Jun-2026	2.31	Pass
15-Jun-2026	2.69	Pass
16-Jun-2026	3.76	Pass
17-Jun-2026	6.21	Pass
18-Jun-2026	2.89	Pass
19-Jun-2026	3.65	Pass
20-Jun-2026	2.32	Pass
21-Jun-2026	2.81	Pass
22-Jun-2026	6.18	Pass
23-Jun-2026	6.13	Pass
24-Jun-2026	2.69	Pass
25-Jun-2026	2.12	Pass
26-Jun-2026	2.27	Pass
27-Jun-2026	2.83	Pass
28-Jun-2026	2.25	Pass
29-Jun-2026	7.38	Pass
30-Jun-2026	3.84	Pass
Mean	3.6	Pass

July 2026		
Sample Date	Result	Pass / Fail
1-Jul-2026	3.54	Pass
2-Jul-2026	2.31	Pass
3-Jul-2026	2.72	Pass
4-Jul-2026	1.82	Pass
5-Jul-2026	2.34	Pass
6-Jul-2026	9.94	Pass
7-Jul-2026	2.3	Pass
8-Jul-2026	9.54	Pass
9-Jul-2026	14.52	Pass
10-Jul-2026	15.05	Pass
11-Jul-2026	4.98	Pass
12-Jul-2026	4.63	Pass
13-Jul-2026	8.43	Pass
14-Jul-2026	4.67	Pass
15-Jul-2026	4.56	Pass
16-Jul-2026	6.57	Pass
17-Jul-2026	2.53	Pass
18-Jul-2026	1.4	Pass
19-Jul-2026	1.55	Pass
20-Jul-2026	8.26	Pass
21-Jul-2026	7.94	Pass
22-Jul-2026	7.02	Pass
23-Jul-2026	4.39	Pass
24-Jul-2026	2.73	Pass
25-Jul-2026	1.04	Pass
26-Jul-2026	5.86	Pass
27-Jul-2026	6.95	Pass
28-Jul-2026	5.5	Pass
29-Jul-2026	8.31	Pass
30-Jul-2026	4.34	Pass
31-Jul-2026	3.45	Pass
Mean	5.5	Pass

August 2026		
Sample Date	Result	Pass / Fail
1-Aug-2026	3.22	Pass
2-Aug-2026	7.75	Pass
3-Aug-2026	6	Pass
4-Aug-2026	4.05	Pass
5-Aug-2026	4.19	Pass
6-Aug-2026	4.02	Pass
7-Aug-2026	3.61	Pass
8-Aug-2026	3.01	Pass
9-Aug-2026	1.62	Pass
10-Aug-2026	4.65	Pass
11-Aug-2026	2.89	Pass
12-Aug-2026	4.74	Pass
13-Aug-2026	2.83	Pass
14-Aug-2026	2.03	Pass
15-Aug-2026	2.32	Pass
16-Aug-2026	1.56	Pass
17-Aug-2026	1.73	Pass
18-Aug-2026	2.23	Pass
19-Aug-2026	2.2	Pass
20-Aug-2026	1.57	Pass
21-Aug-2026	1.35	Pass
22-Aug-2026	1.64	Pass
23-Aug-2026	2.4	Pass
24-Aug-2026	3	Pass
25-Aug-2026	2	Pass
26-Aug-2026	5.2	Pass
27-Aug-2026	4.81	Pass
28-Aug-2026	2.39	Pass
29-Aug-2026	2.03	Pass
30-Aug-2026	7.48	Pass
31-Aug-2026	6.31	Pass
Mean	3.4	Pass

2026 Air Quality Monitoring - HI Volume Sampler Results (PM2.5)

Location	North Eastern Location		
Frequency	Annual Reporting		
Source	DC		
Lower Limit	-		
Upper Limit	25		
Unit	µg/m3		

January 2026		
Sample Date	Result	Pass / Fail
1-Jan-2026	3.3	Pass
2-Jan-2026	3.16	Pass
3-Jan-2026	1.9	Pass
4-Jan-2026	1.88	Pass
5-Jan-2026	2.47	Pass
6-Jan-2026	2.46	Pass
7-Jan-2026	3.24	Pass
8-Jan-2026	2.95	Pass
9-Jan-2026	1.45	Pass
10-Jan-2026	2.91	Pass
11-Jan-2026	6.31	Pass
12-Jan-2026	3.66	Pass
13-Jan-2026	5.87	Pass
14-Jan-2026	4.32	Pass
15-Jan-2026	5.25	Pass
16-Jan-2026	5.01	Pass
17-Jan-2026	1.87	Pass
18-Jan-2026	0.85	Pass
19-Jan-2026	2.31	Pass
20-Jan-2026	3.4	Pass
21-Jan-2026	3.43	Pass
22-Jan-2026	4.45	Pass
23-Jan-2026	4.85	Pass
24-Jan-2026	3.76	Pass
25-Jan-2026	2.86	Pass
26-Jan-2026	4.83	Pass
27-Jan-2026	4.66	Pass
28-Jan-2026	3.73	Pass
29-Jan-2026	4.03	Pass
30-Jan-2026	9.26	Pass
31-Jan-2026	5.09	Pass
Mean	3.7	Pass

February 2026		
Sample Date	Result	Pass / Fail
1-Feb-2026	3.04	Pass
2-Feb-2026	4.43	Pass
3-Feb-2026	3.56	Pass
4-Feb-2026	4.88	Pass
5-Feb-2026	4.88	Pass
6-Feb-2026	3.7	Pass
7-Feb-2026	2.63	Pass
8-Feb-2026	3.63	Pass
9-Feb-2026	3.51	Pass
10-Feb-2026	3.37	Pass
11-Feb-2026	3.5	Pass
12-Feb-2026	2.79	Pass
13-Feb-2026	2.47	Pass
14-Feb-2026	2.24	Pass
15-Feb-2026	2.09	Pass
16-Feb-2026	1.71	Pass
17-Feb-2026	2.31	Pass
18-Feb-2026	3.87	Pass
19-Feb-2026	3.24	Pass
20-Feb-2026	5.62	Pass
21-Feb-2026	1.44	Pass
22-Feb-2026	1.29	Pass
23-Feb-2026	2.36	Pass
24-Feb-2026	3.42	Pass
25-Feb-2026	3.06	Pass
26-Feb-2026	2.87	Pass
27-Feb-2026	2.64	Pass
28-Feb-2026	2.67	Pass
Mean	3.1	Pass

March 2026		
Sample Date	Result	Pass / Fail
1-Mar-2026	2.28	Pass
2-Mar-2026	3.44	Pass
3-Mar-2026	3.03	Pass
4-Mar-2026	2.9	Pass
5-Mar-2026	3.59	Pass
6-Mar-2026	3.08	Pass
7-Mar-2026	2.34	Pass
8-Mar-2026	1.69	Pass
9-Mar-2026	1.93	Pass
10-Mar-2026	1.26	Pass
11-Mar-2026	4.71	Pass
12-Mar-2026	5.59	Pass
13-Mar-2026	4.82	Pass
14-Mar-2026	3.66	Pass
15-Mar-2026	3.35	Pass
16-Mar-2026	4.12	Pass
17-Mar-2026	5	Pass
18-Mar-2026	3.34	Pass
19-Mar-2026	1.85	Pass
20-Mar-2026	5.7	Pass
21-Mar-2026	2.28	Pass
22-Mar-2026	1.21	Pass
23-Mar-2026	0.96	Pass
24-Mar-2026	2.63	Pass
25-Mar-2026	3.21	Pass
26-Mar-2026	4.8	Pass
27-Mar-2026	1.96	Pass
28-Mar-2026	1.67	Pass
29-Mar-2026	1.21	Pass
30-Mar-2026	3.43	Pass
31-Mar-2026	4.87	Pass
Mean	3.1	Pass

2026 Air Quality Monitoring - PM10

Location	Southwest
Frequency	24 HOURS (Every day)
Source	DC
Lower Limit	-
Upper Limit	50
Unit	µg/m3



January 2026			
Sample Date	Result	Pass / Fail	
1-Jan-2026	13.87	Pass	
2-Jan-2026	9.06	Pass	
3-Jan-2026	4.46	Pass	
4-Jan-2026	5.01	Pass	
5-Jan-2026	16.89	Pass	
6-Jan-2026	25.38	Pass	
7-Jan-2026	25.67	Pass	
8-Jan-2026	39.23	Pass	
9-Jan-2026	29.48	Pass	
10-Jan-2026	9.06	Pass	
11-Jan-2026	12.18	Pass	
12-Jan-2026	19.61	Pass	
13-Jan-2026	13.69	Pass	
14-Jan-2026	28.27	Pass	
15-Jan-2026	7.24	Pass	
16-Jan-2026	6.55	Pass	
17-Jan-2026	3.58	Pass	
18-Jan-2026	3.37	Pass	
19-Jan-2026	11.1	Pass	
20-Jan-2026	9.83	Pass	
21-Jan-2026	8.42	Pass	
22-Jan-2026	11.79	Pass	
23-Jan-2026	12.55	Pass	
24-Jan-2026	6.36	Pass	
25-Jan-2026	4.98	Pass	
26-Jan-2026	11.95	Pass	
27-Jan-2026	15.46	Pass	
28-Jan-2026	8.63	Pass	
29-Jan-2026	21.91	Pass	
30-Jan-2026	16.74	Pass	
31-Jan-2026	12.42	Pass	
Mean	13.7	Pass	

	February 2026		
Sample Date	Result	Pass / Fail	
1-Feb-2026	7.71	Pass	
2-Feb-2026	25.74	Pass	
3-Feb-2026	16.13	Pass	
4-Feb-2026	9.63	Pass	
5-Feb-2026	11.07	Pass	
6-Feb-2026	7.26	Pass	
7-Feb-2026	3.78	Pass	
8-Feb-2026	4.38	Pass	
9-Feb-2026	5.79	Pass	
10-Feb-2026	3.17	Pass	
11-Feb-2026	4.73	Pass	
12-Feb-2026	4.07	Pass	
13-Feb-2026	7.94	Pass	
14-Feb-2026	5.11	Pass	
15-Feb-2026	3.02	Pass	
16-Feb-2026	5.12	Pass	
17-Feb-2026	5.5	Pass	
18-Feb-2026	12.82	Pass	
19-Feb-2026	3.43	Pass	
20-Feb-2026	13.09	Pass	
21-Feb-2026	25.57	Pass	
22-Feb-2026	2.23	Pass	
23-Feb-2026	20.78	Pass	
24-Feb-2026	9.52	Pass	
25-Feb-2026	8.9	Pass	
26-Feb-2026	8.34	Pass	
27-Feb-2026	13.83	Pass	
28-Feb-2026	4.6	Pass	
Mean	8.2	Pass	

March 2026			
Sample Date	Result	Pass / Fail	
1-Mar-2026	3.16	Pass	
2-Mar-2026	15.37	Pass	
3-Mar-2026	34.76	Pass	
4-Mar-2026	22.71	Pass	
5-Mar-2026	20.91	Pass	
6-Mar-2026	11.05	Pass	
7-Mar-2026	5.06	Pass	
8-Mar-2026	2.21	Pass	
9-Mar-2026	4.51	Pass	
10-Mar-2026	2.58	Pass	
11-Mar-2026	16.69	Pass	
12-Mar-2026	6.03	Pass	
13-Mar-2026	10.24	Pass	
14-Mar-2026	5.55	Pass	
15-Mar-2026	4.34	Pass	
16-Mar-2026	13.77	Pass	
17-Mar-2026	13.48	Pass	
18-Mar-2026	11.81	Pass	
19-Mar-2026	2.06	Pass	
20-Mar-2026	5.49	Pass	
21-Mar-2026	2.97	Pass	
22-Mar-2026	1.43	Pass	
23-Mar-2026	7.77	Pass	
24-Mar-2026	4.37	Pass	
25-Mar-2026	4.66	Pass	
26-Mar-2026	7.32	Pass	
27-Mar-2026	1.77	Pass	
28-Mar-2026	1.92	Pass	
29-Mar-2026	1.52	Pass	
30-Mar-2026	1.08	Pass	
31-Mar-2026	8.57	Pass	
Mean	8.4	Pass	

Sample Date	April 2026	
	Result	Pass / Fail
1-Apr-2026	10.11	Pass
2-Apr-2026	7.99	Pass
3-Apr-2026	4.13	Pass
4-Apr-2026	5.55	Pass
5-Apr-2026	3.67	Pass
6-Apr-2026	3.55	Pass
7-Apr-2026	4.87	Pass
8-Apr-2026	3.69	Pass
9-Apr-2026	5.41	Pass
10-Apr-2026	5.17	Pass
11-Apr-2026	3.42	Pass
12-Apr-2026	4.15	Pass
13-Apr-2026	3.65	Pass
14-Apr-2026	3.9	Pass
15-Apr-2026	3.62	Pass
16-Apr-2026	5.18	Pass
17-Apr-2026	5.36	Pass
18-Apr-2026	3.42	Pass
19-Apr-2026	3.63	Pass
20-Apr-2026	6.09	Pass
21-Apr-2026	6.26	Pass
22-Apr-2026	12.55	Pass
23-Apr-2026	14.88	Pass
24-Apr-2026	10.86	Pass
25-Apr-2026	3.35	Pass
26-Apr-2026	3.18	Pass
27-Apr-2026	8.81	Pass
28-Apr-2026	8.81	Pass
29-Apr-2026	9.78	Pass
30-Apr-2026	10.05	Pass
Mean	6.0	Pass

Sample Date	May 2026	
	Result	Pass / Fail
1-May-2026	4.51	Pass
2-May-2026	4.1	Pass
3-May-2026	5.48	Pass
4-May-2026	23.14	Pass
5-May-2026	1.31	Pass
6-May-2026	1.47	Pass
7-May-2026	3.95	Pass
8-May-2026	5.83	Pass
9-May-2026	3.78	Pass
10-May-2026	4.66	Pass
11-May-2026	25.4	Pass
12-May-2026	18.4	Pass
13-May-2026	22.16	Pass
14-May-2026	24.73	Pass
15-May-2026	12.77	Pass
16-May-2026	5.55	Pass
17-May-2026	5.15	Pass
18-May-2026	6.36	Pass
19-May-2026	1.03	Pass
20-May-2026	2.82	Pass
21-May-2026	2.52	Pass
22-May-2026	3.2	Pass
23-May-2026	3.05	Pass
24-May-2026	9.28	Pass
25-May-2026	6.58	Pass
26-May-2026	2.72	Pass
27-May-2026	5.98	Pass
28-May-2026	2.24	Pass
29-May-2026	1.7	Pass
30-May-2026	2.55	Pass
31-May-2026	2.2	Pass
Mean	7.2	Pass

June 2026		
Sample Date	Result	Pass / Fail
1-Jun-2026	5.71	Pass
2-Jun-2026	12.23	Pass
3-Jun-2026	2.92	Pass
4-Jun-2026	2.58	Pass
5-Jun-2026	2.21	Pass
6-Jun-2026	1.84	Pass
7-Jun-2026	2.88	Pass
8-Jun-2026	3.87	Pass
9-Jun-2026	15.52	Pass
10-Jun-2026	14.69	Pass
11-Jun-2026	2.07	Pass
12-Jun-2026	6.16	Pass
13-Jun-2026	7.06	Pass
14-Jun-2026	2.69	Pass
15-Jun-2026	6.73	Pass
16-Jun-2026	8.16	Pass
17-Jun-2026	7.02	Pass
18-Jun-2026	20.26	Pass
19-Jun-2026	4.05	Pass
20-Jun-2026	1.42	Pass
21-Jun-2026	2.65	Pass
22-Jun-2026	2.37	Pass
23-Jun-2026	1.75	Pass
24-Jun-2026	1.33	Pass
25-Jun-2026	5.39	Pass
26-Jun-2026	4.03	Pass
27-Jun-2026	2.83	Pass
28-Jun-2026	2.35	Pass
29-Jun-2026	7.38	Pass
30-Jun-2026	3.48	Pass
Mean	5.5	Pass

July 2026			
Sample Date	Result		Pass / Fail
1-Jul-2026	3.54		Pass
2-Jul-2026	2.31		Pass
3-Jul-2026	2.72		Pass
4-Jul-2026	1.82		Pass
5-Jul-2026	2.34		Pass
6-Jul-2026	0.94		Pass
7-Jul-2026	2.3		Pass
8-Jul-2026	0.54		Pass
9-Jul-2026	14.52		Pass
10-Jul-2026	15.05		Pass
11-Jul-2026	4.99		Pass
12-Jul-2026	4.63		Pass
13-Jul-2026	8.43		Pass
14-Jul-2026	4.67		Pass
15-Jul-2026	4.56		Pass
16-Jul-2026	5.71		Pass
17-Jul-2026	3.57		Pass
18-Jul-2026	5.71		Pass
19-Jul-2026	3.57		Pass
20-Jul-2026	5.71		Pass
21-Jul-2026	3.57		Pass
22-Jul-2026	5.34		Pass
23-Jul-2026	3.93		Pass
24-Jul-2026	3.58		Pass
25-Jul-2026	1.36		Pass
26-Jul-2026	4.84		Pass
27-Jul-2026	3.53		Pass
28-Jul-2026	6.35		Pass
29-Jul-2026	6.71		Pass
30-Jul-2026	9.5		Pass
31-Jul-2026	5.78		Pass
Mean	5.5		Pass

August 2026		
Sample Date	Result	Pass / Fail
1-Aug-2026	5.19	PASS
2-Aug-2026	12.67	PASS
3-Aug-2026	4.62	PASS
4-Aug-2026	5	PASS
5-Aug-2026	5.28	PASS
6-Aug-2026	4.91	PASS
7-Aug-2026	5.97	PASS
8-Aug-2026	4.75	PASS
9-Aug-2026	2.71	PASS
10-Aug-2026	2.46	PASS
11-Aug-2026	2.38	PASS
12-Aug-2026	2.12	PASS
13-Aug-2026	1.95	PASS
14-Aug-2026	2.96	PASS
15-Aug-2026	3.74	PASS
16-Aug-2026	5.11	PASS
17-Aug-2026	6.67	PASS
18-Aug-2026	7.33	PASS
19-Aug-2026	8.67	PASS
20-Aug-2026	2.26	PASS
21-Aug-2026	2.25	PASS
22-Aug-2026	2.52	PASS
23-Aug-2026	16.82	PASS
24-Aug-2026	11.16	PASS
25-Aug-2026	2.03	PASS
26-Aug-2026	7.46	PASS
27-Aug-2026	3.1	PASS
28-Aug-2026	3.56	PASS
29-Aug-2026	3	PASS
30-Aug-2026	3	PASS
31-Aug-2026	10.56	PASS
Mean	5.4	PASS

September 2026		
Sample Date	Result	Pass / Fail
1-Sep-2026	8.01	Pass
2-Sep-2026	3.64	Pass
3-Sep-2026	5.69	Pass
4-Sep-2026	10.22	Pass
5-Sep-2026	4.38	Pass
6-Sep-2026	3.04	Pass
7-Sep-2026	10.02	Pass
8-Sep-2026	5.37	Pass
9-Sep-2026	12.53	Pass
10-Sep-2026	12.68	Pass
11-Sep-2026	7.89	Pass
12-Sep-2026	5.15	Pass
13-Sep-2026	10.6	Pass
14-Sep-2026	4.71	Pass
15-Sep-2026	6.02	Pass
16-Sep-2026	11.61	Pass
17-Sep-2026	5.12	Pass
18-Sep-2026	6.21	Pass
19-Sep-2026	5.99	Pass
20-Sep-2026	8.72	Pass
21-Sep-2026	16.58	Pass
22-Sep-2026	13.72	Pass
23-Sep-2026	24.27	Pass
24-Sep-2026	19.9	Pass
25-Sep-2026	10.14	Pass
26-Sep-2026	8.01	Pass
27-Sep-2026	23.7	Pass
28-Sep-2026	5.30	Pass
29-Sep-2026	8.72	Pass
30-Sep-2026	7.71	Pass
Mean	9.5	Pass

2026 Air Quality Monitoring - Hi Volume Sampler Results (PM2.5)

Location	Southwest
Frequency	Annual Reporting
Source	DC
Lower Limit	-
Upper Limit	25
Unit	ug/m3

January 2026			
Sample Date	Result		Pass / Fail
1-Jan-2026	4.51		Pass
2-Jan-2026	3.82		Pass
3-Jan-2026	2.05		Pass
4-Jan-2026	2.03		Pass
5-Jan-2026	4.05		Pass
6-Jan-2026	6.04		Pass
7-Jan-2026	6.58		Pass
8-Jan-2026	6.52		Pass
9-Jan-2026	5.99		Pass
10-Jan-2026	3.49		Pass
11-Jan-2026	6.56		Pass
12-Jan-2026	6.66		Pass
13-Jan-2026	7.38		Pass
14-Jan-2026	9.54		Pass
15-Jan-2026	4.87		Pass
16-Jan-2026	3.94		Pass
17-Jan-2026	1.89		Pass
18-Jan-2026	1.22		Pass
19-Jan-2026	3.69		Pass
20-Jan-2026	3.94		Pass
21-Jan-2026	3.25		Pass
22-Jan-2026	3.79		Pass
23-Jan-2026	5.17		Pass
24-Jan-2026	3.32		Pass
25-Jan-2026	2.44		Pass
26-Jan-2026	4.78		Pass
27-Jan-2026	5.81		Pass
28-Jan-2026	3.71		Pass
29-Jan-2026	6.21		Pass
30-Jan-2026	9.37		Pass
31-Jan-2026	4.48		Pass
Mean	4.7		Pass

February 2026			
Sample Date	Result	Pass / Fail	
1-Feb-2026	2.97	Pass	
2-Feb-2026	6.56	Pass	
3-Feb-2026	5.15	Pass	
4-Feb-2026	4.09	Pass	
5-Feb-2026	3.98	Pass	
6-Feb-2026	2.78	Pass	
7-Feb-2026	2.13	Pass	
8-Feb-2026	3.16	Pass	
9-Feb-2026	3.88	Pass	
10-Feb-2026	2.18	Pass	
11-Feb-2026	3.28	Pass	
12-Feb-2026	1.86	Pass	
13-Feb-2026	3.09	Pass	
14-Feb-2026	2.33	Pass	
15-Feb-2026	1.77	Pass	
16-Feb-2026	1.97	Pass	
17-Feb-2026	1.89	Pass	
18-Feb-2026	3.88	Pass	
19-Feb-2026	1.86	Pass	
20-Feb-2026	6.41	Pass	
21-Feb-2026	1.2	Pass	
22-Feb-2026	1.09	Pass	
23-Feb-2026	7.03	Pass	
24-Feb-2026	4.06	Pass	
25-Feb-2026	3.37	Pass	
26-Feb-2026	3.39	Pass	
27-Feb-2026	4.05	Pass	
28-Feb-2026	2.47	Pass	
Mean	3.3	Pass	

March 2026			
Sample Date	Result	Pass / Fail	
1-Mar-2026	1.94	Pass	
2-Mar-2026	4.67	Pass	
3-Mar-2026	10.28	Pass	
4-Mar-2026	7.14	Pass	
5-Mar-2026	5.85	Pass	
6-Mar-2026	3.92	Pass	
7-Mar-2026	2.78	Pass	
8-Mar-2026	1.44	Pass	
9-Mar-2026	1.91	Pass	
10-Mar-2026	0.97	Pass	
11-Mar-2026	5.03	Pass	
12-Mar-2026	2.41	Pass	
13-Mar-2026	4.08	Pass	
14-Mar-2026	3.01	Pass	
15-Mar-2026	2.54	Pass	
16-Mar-2026	4.7	Pass	
17-Mar-2026	4.58	Pass	
18-Mar-2026	4.1	Pass	
19-Mar-2026	1.42	Pass	
20-Mar-2026	4.43	Pass	
21-Mar-2026	1.95	Pass	
22-Mar-2026	0.97	Pass	
23-Mar-2026	1.96	Pass	
24-Mar-2026	2.22	Pass	
25-Mar-2026	2.39	Pass	
26-Mar-2026	2.87	Pass	
27-Mar-2026	1.06	Pass	
28-Mar-2026	1.12	Pass	
29-Mar-2026	0.85	Pass	
30-Mar-2026	2.74	Pass	
31-Mar-2026	4.56	Pass	
Mean	3.2	Pass	

April 2026		
Sample Date	Result	Pass / Fail
1-Apr-2026	6.66	Pass
2-Apr-2026	4.02	Pass
3-Apr-2026	2.71	Pass
4-Apr-2026	3.7	Pass
5-Apr-2026	2.05	Pass
6-Apr-2026	2.01	Pass
7-Apr-2026	2.14	Pass
8-Apr-2026	1.88	Pass
9-Apr-2026	2.61	Pass
10-Apr-2026	2.06	Pass
11-Apr-2026	1.86	Pass
12-Apr-2026	2.5	Pass
13-Apr-2026	2.13	Pass
14-Apr-2026	2.42	Pass
15-Apr-2026	1.61	Pass
16-Apr-2026	2.22	Pass
17-Apr-2026	2.21	Pass
18-Apr-2026	1.74	Pass
19-Apr-2026	2.05	Pass
20-Apr-2026	2.92	Pass
21-Apr-2026	3	Pass
22-Apr-2026	3.82	Pass
23-Apr-2026	4.92	Pass
24-Apr-2026	5.55	Pass
25-Apr-2026	2.07	Pass
26-Apr-2026	1.65	Pass
27-Apr-2026	2.27	Pass
28-Apr-2026	2.83	Pass
29-Apr-2026	3.36	Pass
30-Apr-2026	3.15	Pass
Mean	2.8	Pass

Sample Date	May 2026	
	Result	Pass / Fail
1-May-2026	1.97	Pass
2-May-2026	1.45	Pass
3-May-2026	3.24	Pass
4-May-2026	8.31	Pass
5-May-2026	0.91	Pass
6-May-2026	1.03	Pass
7-May-2026	2.15	Pass
8-May-2026	3	Pass
9-May-2026	2.04	Pass
10-May-2026	2.53	Pass
11-May-2026	7.47	Pass
12-May-2026	6.78	Pass
13-May-2026	6.37	Pass
14-May-2026	7.5	Pass
15-May-2026	6.46	Pass
16-May-2026	3.18	Pass
17-May-2026	3.09	Pass
18-May-2026	3.92	Pass
19-May-2026	0.58	Pass
20-May-2026	1.9	Pass
21-May-2026	1.82	Pass
22-May-2026	1.37	Pass
23-May-2026	1.62	Pass
24-May-2026	6.12	Pass
25-May-2026	3.6	Pass
26-May-2026	1.62	Pass
27-May-2026	4	Pass
28-May-2026	1.29	Pass
29-May-2026	0.99	Pass
30-May-2026	1.91	Pass
31-May-2026	1.58	Pass
Mean	3.2	Pass

June 2026		
Sample Date	Result	Pass / Fail
1-jun-2026	3.88	Pass
2-jun-2026	4.98	Pass
3-jun-2026	1.55	Pass
4-jun-2026	1.63	Pass
5-jun-2026	1.52	Pass
6-jun-2026	1.16	Pass
7-jun-2026	2.33	Pass
8-jun-2026	3.02	Pass
9-jun-2026	5.75	Pass
10-jun-2026	6.02	Pass
11-jun-2026	1.24	Pass
12-jun-2026	3.47	Pass
13-jun-2026	3.99	Pass
14-jun-2026	2.01	Pass
15-jun-2026	2.69	Pass
16-jun-2026	4.01	Pass
17-jun-2026	3.32	Pass
18-jun-2026	6.26	Pass
19-jun-2026	2.31	Pass
20-jun-2026	0.88	Pass
21-jun-2026	2.13	Pass
22-jun-2026	1.71	Pass
23-jun-2026	1.13	Pass
24-jun-2026	0.97	Pass
25-jun-2026	2.25	Pass
26-jun-2026	1.95	Pass
27-jun-2026	2.35	Pass
28-jun-2026	1.13	Pass
29-jun-2026	2.77	Pass
30-jun-2026	2.03	Pass
Mean	2.7	Pass

July 2026			
Sample Date	Result	Pass	Pass / Fail
1-Jul-2026	1.97	Pass	
2-Jul-2026	1.33	Pass	
3-Jul-2026	1.79	Pass	
4-Jul-2026	1.33	Pass	
5-Jul-2026	1.21	Pass	
6-Jul-2026	3.34	Pass	
7-Jul-2026	1.59	Pass	
8-Jul-2026	4.07	Pass	
9-Jul-2026	1.18	Pass	
10-Jul-2026	6.58	Pass	
11-Jul-2026	4.18	Pass	
12-Jul-2026	3.23	Pass	
13-Jul-2026	5.25	Pass	
14-Jul-2026	2.93	Pass	
15-Jul-2026	2.65	Pass	
16-Jul-2026	3.9	Pass	
17-Jul-2026	1.98	Pass	
18-Jul-2026	2.7	Pass	
19-Jul-2026	3.9	Pass	
20-Jul-2026	3.9	Pass	
21-Jul-2026	1.98	Pass	
22-Jul-2026	2.7	Pass	
23-Jul-2026	2.25	Pass	
24-Jul-2026	2.34	Pass	
25-Jul-2026	0.94	Pass	
26-Jul-2026	2.24	Pass	
27-Jul-2026	2.2	Pass	
28-Jul-2026	3.82	Pass	
29-Jul-2026	4.3	Pass	
30-Jul-2026	3.74	Pass	
31-Jul-2026	3.3	Pass	
Mean	3.0	Pass	

August 2026		
Sample Date	Result	Pass / Fail
1-Aug-2026	3.31	Pass
2-Aug-2026	4.84	Pass
3-Aug-2026	2.83	Pass
4-Aug-2026	2.62	Pass
5-Aug-2026	2.08	Pass
6-Aug-2026	2.79	Pass
7-Aug-2026	3.61	Pass
8-Aug-2026	3	Pass
9-Aug-2026	1.46	Pass
10-Aug-2026	1.66	Pass
11-Aug-2026	1.68	Pass
12-Aug-2026	1.44	Pass
13-Aug-2026	1.37	Pass
14-Aug-2026	1.94	Pass
15-Aug-2026	2.34	Pass
16-Aug-2026	2.32	Pass
17-Aug-2026	2.22	Pass
18-Aug-2026	2.56	Pass
19-Aug-2026	3.03	Pass
20-Aug-2026	1.39	Pass
21-Aug-2026	1.31	Pass
22-Aug-2026	1.74	Pass
23-Aug-2026	5.13	Pass
24-Aug-2026	3.89	Pass
25-Aug-2026	1.07	Pass
26-Aug-2026	1.31	Pass
27-Aug-2026	1.62	Pass
28-Aug-2026	2.24	Pass
29-Aug-2026	1.86	Pass
30-Aug-2026	3.06	Pass
31-Aug-2026	4.88	Pass
Mean	2.5	Pass

September 2026		
Sample Date	Result	Pass / Fail
1-Sep-2026	3.26	Pass
2-Sep-2026	1.75	Pass
3-Sep-2026	2.21	Pass
4-Sep-2026	3.13	Pass
5-Sep-2026	2.50	Pass
6-Sep-2026	1.91	Pass
7-Sep-2026	3.61	Pass
8-Sep-2026	2.89	Pass
9-Sep-2026	4.82	Pass
10-Sep-2026	5.62	Pass
11-Sep-2026	4.93	Pass
12-Sep-2026	2.99	Pass
13-Sep-2026	4.41	Pass
14-Sep-2026	2.34	Pass
15-Sep-2026	3.1	Pass
16-Sep-2026	3.83	Pass
17-Sep-2026	2.17	Pass
18-Sep-2026	2.52	Pass
19-Sep-2026	2.59	Pass
20-Sep-2026	3.3	Pass
21-Sep-2026	5.39	Pass
22-Sep-2026	8.46	Pass
23-Sep-2026	11.88	Pass
24-Sep-2026	7.75	Pass
25-Sep-2026	5.37	Pass
26-Sep-2026	4.81	Pass
27-Sep-2026	4.08	Pass
28-Sep-2026	1.99	Pass
29-Sep-2026	2.96	Pass
30-Sep-2026	2.51	Pass
Mean	4.0	Pass

[Expand to View - SW Air Quality Monitoring Results \(2025\)](#)