

# **SAFETY DATA SHEET**

# 1. IDENTIFICATION OF THE MATERIAL AND SUPPLIER

1.1 Product identifier

**Product name** HOLCIM MILLED SILICA PRODUCTS

200 MESH • MILLED SILICA PRODUCTS • SILICA 100G • SILICA 200G • SILICA 300G • SILICA 350G • **Synonyms** 

SILICA 400G • SILICA 60G • SUPERFINE • VERRO 400

1.2 Uses and uses advised against

Uses **FILLER** 

Functional filler in ceramics, adhesives, cleaning powders, paints and enamels.

1.3 Details of the supplier of the product

Supplier name HOLCIM (AUSTRALIA) PTY LTD

Level 40, 100 Miller Street, North Sydney, NSW, 2060, AUSTRALIA **Address** 

**Telephone** (02) 9412 6600 (02) 9412 6601 Fax

Website http://www.holcim.com.au

1.4 Emergency telephone numbers

**Emergency** (02) 9412 6600; 13 11 26 (Poisons Information Centre)

# 2. HAZARDS IDENTIFICATION

## 2.1 Classification of the substance or mixture

CLASSIFIED AS HAZARDOUS ACCORDING TO SAFE WORK AUSTRALIA CRITERIA

**Physical Hazards** 

Not classified as a Physical Hazard

**Health Hazards** 

Carcinogenicity: Category 1A

Specific Target Organ Toxicity (Repeated Exposure): Category 1

**Environmental Hazards** 

Not classified as an Environmental Hazard

2.2 GHS Label elements

Signal word **DANGER** 

**Pictograms** 



**Hazard statements** 

H350i May cause cancer by inhalation.

H372 Causes damage to organs through prolonged or repeated exposure.



Revision No: 1.1

### **Prevention statements**

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P260 Do not breathe dust/fume/gas/mist/vapours/spray.

P264 Wash thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.

### Response statements

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

Storage statements

P405 Store locked up.

**Disposal statements** 

P501 Dispose of contents/container in accordance with relevant regulations.

### 2.3 Other hazards

No information provided.

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

## 3.1 Substances / Mixtures

Ingredient	CAS Number	EC Number	Content
QUARTZ (CRYSTALLINE SILICA)	14808-60-7	238-878-4	100%

Ingredient Notes The product contains > 20% respirable crystalline silica.

# 4. FIRST AID MEASURES

## 4.1 Description of first aid measures

Eye If in eyes, hold eyelids apart and flush continuously with running water. Continue flushing until advised to

stop by a Poisons Information Centre, a doctor, or for at least 15 minutes.

Inhalation If inhaled, remove from contaminated area. Apply artificial respiration if not breathing.

**Skin** If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water.

Continue flushing with water until advised to stop by a Poisons Information Centre or a doctor.

Ingestion For advice, contact a Poisons Information Centre on 13 11 26 (Australia Wide) or a doctor (at once). Due to

product form and application, ingestion is considered unlikely.

### 4.2 Most important symptoms and effects, both acute and delayed

Repeated exposure to crystalline silica may result in lung fibrosis (silicosis). Principal symptoms of silicosis are coughing and breathlessness. Crystalline silica is classified as carcinogenic to humans (IARC Group 1).

## 4.3 Immediate medical attention and special treatment needed

Treat symptomatically.

# 5. FIRE FIGHTING MEASURES

# 5.1 Extinguishing media

Use an extinguishing agent suitable for the surrounding fire.

### 5.2 Special hazards arising from the substance or mixture

Non flammable. May evolve toxic gases if strongly heated.

### 5.3 Advice for firefighters

No fire or explosion hazard exists.

## 5.4 Hazchem code

None allocated.

# 6. ACCIDENTAL RELEASE MEASURES



SDS Date: 14 Oct 2024 Revision No: 1.1

## 6.1 Personal precautions, protective equipment and emergency procedures

Wear Personal Protective Equipment (PPE) as detailed in section 8 of the SDS.

### 6.2 Environmental precautions

Prevent product from entering drains and waterways.

### 6.3 Methods of cleaning up

Contain spillage, then collect and place in suitable containers for disposal. Avoid generating dust.

### 6.4 Reference to other sections

See Sections 8 and 13 for exposure controls and disposal.

# 7. HANDLING AND STORAGE

### 7.1 Precautions for safe handling

Use of safe work practices are recommended to avoid eye or skin contact and inhalation.

### 7.2 Conditions for safe storage, including any incompatibilities

Store in a cool, dry, well ventilated area, removed from incompatible substances and foodstuffs.

### 7.3 Specific end uses

No information provided.

# 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

# 8.1 Control parameters

### **Exposure standards**

Ingredient	Reference	TWA		STEL	
ingredient	ppm		mg/m³	ppm	mg/m³
Quartz (respirable dust)	SWA [AUS]		0.05		
Quartz (respirable dust) (Precautionary advice)	WorkSafe VIC		0.02		

# **Biological limits**

No biological limit values have been entered for this product.

# 8.2 Exposure controls

Engineering controls Avoid inhalation. Use in well ventilated areas. Where an inhalation risk exists, mechanical extraction

ventilation is recommended. Wet where possible.

**PPE** 

Eye / Face Wear dust-proof goggles.

**Hands** Wear PVC or rubber or cotton gloves.

**Body** When using large quantities or where heavy contamination is likely, wear coveralls.

Respiratory Where an inhalation risk exists, wear a Class P1 (Particulate) respirator. At high dust levels, wear a

Powered Air Purifying Respirator (PAPR) with Class P3 (Particulate) filter or an Air-line respirator or a

Full-face Class P3 (Particulate) respirator.









# 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance WHITE TO OFF-WHITE POWDER

Odour ODOURLESS
Flammability NON FLAMMABLE
Flash point NOT RELEVANT
Boiling point NOT AVAILABLE

ChemAlert.

SDS Date: 14 Oct 2024 Revision No: 1.1

9.1 Information on basic physical and chemical properties

> 1700°C **Melting point** 

**Evaporation rate** NOT AVAILABLE

4.0 to 5.0 (20 % solution) pН

**NOT AVAILABLE** Vapour density **NOT AVAILABLE** Relative density INSOLUBLE Solubility (water) **NOT AVAILABLE** Vapour pressure NOT RELEVANT Upper explosion limit NOT RELEVANT Lower explosion limit NOT AVAILABLE Partition coefficient **NOT AVAILABLE** Autoignition temperature **NOT AVAILABLE** Decomposition temperature **NOT AVAILABLE** Viscosity NOT AVAILABLE **Explosive properties** 

9.2 Other information

Specific gravity 2.64 to 2.66

# 10. STABILITY AND REACTIVITY

### 10.1 Reactivity

This material is considered inert.

Oxidising properties

**Odour threshold** 

# 10.2 Chemical stability

Stable under recommended conditions of storage.

# 10.3 Possibility of hazardous reactions

Polymerization will not occur.

### 10.4 Conditions to avoid

Avoid heat, sparks, open flames and other ignition sources.

### 10.5 Incompatible materials

Incompatible with strong acids (e.g. hydrochloric acid). Incompatible with oxidising agents (e.g. hypochlorites).

NOT AVAILABLE

NOT AVAILABLE

## 10.6 Hazardous decomposition products

May evolve toxic gases if heated to decomposition.

# 11. TOXICOLOGICAL INFORMATION

### 11.1 Information on toxicological effects

Based on available data, the classification criteria are not met. **Acute toxicity** 

Skin Contact may result in mechanical irritation, redness, rash and dermatitis. Eve Contact may result in mechanical irritation, lacrimation and redness.

Sensitisation Not classified as causing skin or respiratory sensitisation. Mutagenicity Insufficient data available to classify as a mutagen.

Crystalline silica is classified as carcinogenic to humans (IARC Group 1). However, there is a body of Carcinogenicity

evidence supporting the fact that increased cancer risk would be limited to people already suffering from

silicosis

Insufficient data available to classify as a reproductive toxin. Reproductive STOT - single Not classified as causing organ damage from single exposure.

STOT - repeated

exposure

Repeated exposure to respirable silica may result in pulmonary fibrosis (silicosis). Silicosis is a fibronodular lung disease caused by deposition in the lungs of fine respirable particles of crystalline silica. Principal exposure

symptoms of silicosis are coughing and breathlessness.

This product is a solid and aspiration hazards are not expected to occur. **Aspiration** 

# 12. ECOLOGICAL INFORMATION



SDS Date: 14 Oct 2024 Revision No: 1.1

### 12.1 Toxicity

The main component/s of this product are not anticipated to cause any adverse effects to the environment.

## 12.2 Persistence and degradability

Not applicable.

### 12.3 Bioaccumulative potential

This product is not expected to bioaccumulate.

### 12.4 Mobility in soil

This product is immobile in soil.

### 12.5 Other adverse effects

No information provided.

# 13. DISPOSAL CONSIDERATIONS

### 13.1 Waste treatment methods

Waste disposal Ensure product is covered with moist soil to prevent dust generation and dispose of to approved Council

landfill. Contact the manufacturer/supplier for additional information (if required).

**Legislation** Dispose of in accordance with relevant local legislation.

# 14. TRANSPORT INFORMATION

NOT CLASSIFIED AS A DANGEROUS GOOD BY THE CRITERIA OF THE ADG CODE, IMDG OR IATA

	LAND TRANSPORT (ADG)	SEA TRANSPORT (IMDG / IMO)	AIR TRANSPORT (IATA / ICAO)
14.1 UN Number	None allocated.	None allocated.	None allocated.
14.2 Proper Shipping Name	None allocated.	None allocated.	None allocated.
14.3 Transport hazard class	None allocated.	None allocated.	None allocated.
14.4 Packing Group	None allocated.	None allocated.	None allocated.

# 14.5 Environmental hazards

Not a Marine Pollutant.

# 14.6 Special precautions for user

**Hazchem code** None allocated.

# 15. REGULATORY INFORMATION

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Poison schedule A poison schedule number has not been allocated to this product using the criteria in the Standard for the

Uniform Scheduling of Medicines and Poisons (SUSMP).

Classifications Safe Work Australia criteria is based on the Globally Harmonised System (GHS) of Classification and

Labelling of Chemicals (GHS Revision 7).

Inventory listings AUSTRALIA: AllC (Australian Inventory of Industrial Chemicals)

All components are listed on AIIC, or are exempt.

UNITED STATES: TSCA (US Toxic Substances Control Act)
All components are listed on the TSCA inventory, or are exempt.

# 16. OTHER INFORMATION

Additional information



SDS Date: 14 Oct 2024 Revision No: 1.1

Page 5 of 6

### PERSONAL PROTECTIVE EQUIPMENT GUIDELINES:

The recommendation for protective equipment contained within this report is provided as a guide only. Factors such as form of product, method of application, working environment, quantity used, product concentration and the availability of engineering controls should be considered before final selection of personal protective equipment is made.

### HEALTH EFFECTS FROM EXPOSURE:

It should be noted that the effects from exposure to this product will depend on several factors including: form of product; frequency and duration of use; quantity used; effectiveness of control measures; protective equipment used and method of application. Given that it is impractical to prepare a report which would encompass all possible scenarios, it is anticipated that users will assess the risks and apply control methods where appropriate.

Abbreviations ACGIH American Conference of Governmental Industrial Hygienists

CAS # Chemical Abstract Service number - used to uniquely identify chemical compounds

CNS Central Nervous System

EC No. EC No - European Community Number

EMS Emergency Schedules (Emergency Procedures for Ships Carrying Dangerous

Goods)

GHS Globally Harmonized System

GTEPG Group Text Emergency Procedure Guide IARC International Agency for Research on Cancer

LC50 Lethal Concentration, 50% / Median Lethal Concentration

LD50 Lethal Dose, 50% / Median Lethal Dose

mg/m³ Milligrams per Cubic Metre
OEL Occupational Exposure Limit

pH relates to hydrogen ion concentration using a scale of 0 (high acidic) to 14 (highly

alkaline).

ppm Parts Per Million

STEL Short-Term Exposure Limit

STOT-RE Specific target organ toxicity (repeated exposure)
STOT-SE Specific target organ toxicity (single exposure)

SUSMP Standard for the Uniform Scheduling of Medicines and Poisons

SWA Safe Work Australia
TLV Threshold Limit Value
TWA Time Weighted Average

# Report status

This document has been compiled by RMT on behalf of the manufacturer, importer or supplier of the product and serves as their Safety Data Sheet ('SDS').

It is based on information concerning the product which has been provided to RMT by the manufacturer, importer or supplier or obtained from third party sources and is believed to represent the current state of knowledge as to the appropriate safety and handling precautions for the product at the time of issue. Further clarification regarding any aspect of the product should be obtained directly from the manufacturer, importer or supplier.

While RMT has taken all due care to include accurate and up-to-date information in this SDS, it does not provide any warranty as to accuracy or completeness. As far as lawfully possible, RMT accepts no liability for any loss, injury or damage (including consequential loss) which may be suffered or incurred by any person as a consequence of their reliance on the information contained in this SDS.

## Prepared by

Risk Management Technologies 5 Ventnor Ave, West Perth Western Australia 6005 Phone: +61 8 9322 1711 Fax: +61 8 9322 1794

Email: info@rmtglobal.com Web: www.rmtglobal.com

[ End of SDS ]

Page 6 of 6



SDS Date: 14 Oct 2024

Revision No: 1.1