

Surface Water Monitoring Results (Event Based Only)

Results - 2024

Location	Frequency	Source	Lower Limit	Upper Limit	Unit	Description	Event Date	8 Jan 2024	29 Feb 2024	20 May 2024	3 Jun 2024	13 Aug 2024	14 Aug 2024	24 Sep 2024	3 Dec 2024				
Licensed Discharge Point 1	Each Discharge Event	EPL Section L2	6.5	8.5	pH	pH	Result						7.9		7.5				
							Pass / Fail						Pass		Pass				
			-	50	mg/L	Suspended Solids	Result						5		7				
							Pass / Fail						Pass		Pass				
			-	NV	V = Visable or NV = None Visable	Total Oil & Grease	Result						NV		NV				
							Pass / Fail						Pass		Pass				
Licensed Discharge Point 2	Each Discharge Event	EPL Section L2	6.5	8.5	pH	pH	Result	8.4	8.2	8.1	8.1	8.3		8.4	8.1				
							Pass / Fail	Pass	Pass	Pass	Pass	Pass		Pass	Pass				
			-	50	mg/L	Suspended Solids	Result	6	5	6	5	5		5	8				
							Pass / Fail	Pass	Pass	Pass	Pass	Pass		Pass	Pass				
			-	NV	V = Visable or NV = None Visable	Total Oil & Grease	Result	NV	NV	NV	NV	NV		NV	NV				
							Pass / Fail	Pass	Pass	Pass	Pass	Pass		Pass	Pass				

Comments regarding deposition monitoring outcomes

Comment 1:	18th November 2022 - Precoat oil spill - sampled to confirn no oil leaving the site
Comment 2:	No discharge events means that surface water monitoring has not been triggered after 20th April 2023
Comment 3:	
Comment 4:	
Comment 5:	
Comment 6:	
Comment 7:	
Comment 8:	

Results - 2025

Location	Frequency	Source	Lower Limit	Upper Limit	Unit	Description	Event Date	6 Jan 2025	16 Jan 2025	7 Feb 2025	5 Mar 2025	31 Mar 2025	31 Mar 2025						
Licensed Discharge Point 1	Each Discharge Event	EPL Section L2	6.5	8.5	pH	pH	Result		7.8			7.9							
							Pass / Fail		Pass			Pass							
			-	50	mg/L	Suspended Solids	Result		14			179							
							Pass / Fail		Pass			Pass							
			-	NV	V = Visable or NV = None Visable	Total Oil & Grease	Result		NV			NV							
							Pass / Fail		Pass			Pass							
Licensed Discharge Point 2	Each Discharge Event	EPL Section L2	6.5	8.5	pH	pH	Result	8.1		8.2	8.3		8.0						
							Pass / Fail	Pass		Pass	Pass		Pass						
			-	50	mg/L	Suspended Solids	Result	0		0	8		4						
							Pass / Fail	Pass		Pass	Pass		Pass						
			-	NV	V = Visable or NV = None Visable	Total Oil & Grease	Result	NV		NV	NV		NV						
							Pass / Fail	Pass		Pass	Pass		Pass						

Comments regarding deposition monitoring outcomes

Blast Monitoring Results

Note	DNT = Did Not Trigger with monitoring equipment set at a trigger point of 108 dB for Over Pressure and 0.3 mm/s for Ground Vibration
------	--

Blast Monitoring Results - 2023

[illegible][illegible]

Location	Frequency	Source	Lower Limit	Upper Limit	Unit	Description	9 Nov 2023	7 Dec 2023	14 Dec 2023
TBA	Per Blast	EPL Section L3	-	115	dB (Lin Peak)	Result	96.2	DNT	96.9
						Pass / Fail	Pass	Pass	Pass
			-	5	mm/s	Result	0.72	DNT	0.43
						Pass / Fail	Pass	Pass	Pass

Blast Monitoring Results - 2024

[illegible][illegible][illegible]

Blast Monitoring Results - 2025

Location	Frequency	Source	Lower Limit	Upper Limit	Unit	Description	16 Jan 2025	13 Feb 2025	27 Feb 2025	13 Mar 2025	27 Mar 2025	10 Apr 2025	1 May 2025						
TBA	Per Blast	EPL Section L3	-	115	dB (Lin Peak)	Result	DNT	DNT	DNT	DNT	DNT	DNT							
			Pass / Fail	Meets Criteria	Meets Criteria	Meets Criteria	Meets Criteria	Meets Criteria	Meets Criteria										
			Result	DNT	DNT	DNT	DNT	DNT											
			Pass / Fail	Meets Criteria	Meets Criteria	Meets Criteria	Meets Criteria	Meets Criteria											
			-	5	mm/s														

[illegible]

